

one



Recessed Spots Fixed

Pages 03-32

01



GU10 MR11 Range



10103GP/W

10103G1/W

10103G2 | 5W | MR11 | GU10 | Aluminium


new

IP20



10103G2/W

new



10103G2/B



Complete with 0950G.


10103G1 | 5W | MR11 | GU10 | Aluminium


new

DARK LIGHT

IP20



10103G1/W

new



10103G1/B



Complete with 0950G.


10103GP | 5W | MR11 | GU10 | Aluminium


new

DARK LIGHT

IP65



10103GP/W

new



10103GP/B



Complete with 0950G.


10103GTR | 5W | MR11 | GU10 | Trimless | Aluminium


new

DARK LIGHT

IP20




10103GTR/W

new




10103GTR/B



Order Code	Colour	Watts	Input	Class				Notes
10103G2/W	White	5W	100-240V		48mm	100mm	100	-
10103G2/B	Black	5W	100-240V		48mm	100mm	100	-
10103G1/W	White	5W	100-240V		48mm	100mm	100	-
10103G1/B	Black	5W	100-240V		48mm	100mm	100	-
10103GP/W	White	5W	100-240V		58mm	110mm	100	-
10103GP/B	Black	5W	100-240V		58mm	110mm	100	-
10103GTR/W	White	5W	100-240V		50mm	90mm	100	-
10103GTR/B	Black	5W	100-240V		50mm	90mm	100	-

The Classic MR16




10105X/W

10105X | 50W | MR16 | GU5,3 | Aluminium



IP20



10105X/B



10105/MC

10105 | 50W | MR16 | GU5,3 | Aluminium



IP20



10105GU/W

10105GU | 10W | MR16 | GU10 | Aluminium



IP20



Complete with 0950G.




Order Code	Colour	Watts	Input	Class					Notes
10105X/W	White	50W	12V		40cm	63mm	60mm	100	-
10105X/B	Black	50W	12V		40cm	63mm	60mm	100	-
10105/MC	Brushed chrome	50W	12V		40cm	70mm	60mm	100	-
10105GU/W	White	10W	100-240V		15cm	70mm	150mm	100	-


The Cement Range



10105CM | 10W | MR16 | GU10 | Cement + aluminium reflector



Order Code	Colour	Watts	Input	Class					Notes
10105CM	Cement	10W	100-240V		15cm	95mm	120mm	12	-




The Dual Ring Range Aluminium



10105A1 | 10W | MR16 | GU10 | Aluminium




IP20



10105A1 | 10W | MR16 | GU10 | Aluminium




IP20



Order Code	Colour	Watts	Input	Class	⏏	⏏	⏏	⏏	Notes
10105A1/W	White	10W	100-240V	⏏	15cm	68mm	120mm	100	-
10105A1/B	Black	10W	100-240V	⏏	15cm	68mm	120mm	100	-

The Mix & Match Range



10105H | 10W | MR16 | GU10 | Aluminium

LED version on page 42.



DARK
LIGHT
IP20




10105H | 10W | MR16 | GU10 | Aluminium

LED version on page 42.




DARK
LIGHT
IP20



10105H | 10W | MR16 | GU10 | Aluminium



DARK
LIGHT
IP20



Order Code	Colour	Watts	Input	Class					Notes
10105H/W	White	10W	100-240V		15cm	64mm	100mm	50	-
10105H/B	Black	10W	100-240V		15cm	64mm	100mm	50	-
10105H/BS	Brass	10W	100-240V		15cm	64mm	100mm	50	-

The Mix & Match Range



10105H/B + 050182/W + 050182R/W

050182 | Rings for 10105H | Aluminium



IP20



050182/W White



050182/B Black



050182/BS Brass



050182R | Round base for 10105H | Aluminium



IP20



050182R/W White



050182R/B Black



050182R/BS Brass



050182RA | Square base for 10105H | Aluminium



IP20



050182RA/W White



050182RA/B Black



050182RA/BS Brass



050182RB | Double Square base for 10105H | Aluminium



IP20



050182RB/W White



050182RB/B Black




050182RB/BS Brass




The Dark Light Dual Ring Aluminium



10105ALG | 10W | MR16 | GU10 | Aluminium



10105ALG | 10W | MR16 | GU10 | Aluminium



Order Code	Colour	Watts	Input	Class					Notes
10105ALG/W	White	10W	100-240V		15cm	78mm	150mm	50	-
10105ALG/B	Black	10W	100-240V		15cm	78mm	150mm	50	-




The Dark Light Dual Ring Aluminium

10105ALG | 10W | MR16 | GU10 | Aluminium




10105ALG/W/B



10105ALG | 10W | MR16 | GU10 | Aluminium



10105ALG/W/BS



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105ALG/W/B	White	Black	10W	100-240V		15cm	78mm	150mm	50	-
10105ALG/W/BS	White	Brass	10W	100-240V		15cm	78mm	150mm	50	-




The Semi Trimless Dark Light


10105DG | 10W | MR16 | GU10 | Semi trimless | Aluminium



10105DG/W




Complete with 0950G.




10105TG | 10W | MR16 | GU10 | Semi trimless | Aluminium



10105TG/W




Complete with 0950G.




10105TG | 10W | MR16 | GU10 | Semi trimless | Aluminium



10105TG/B



Complete with 0950G.




50105TG | 10W | MR16 | GU10 | Semi trimless | Aluminium



50105TG/W



Complete with 0950G.




Order Code	Colour	Watts	Input	Class					Notes
10105DG/W	White	10W	100-240V		15cm	76mm	155mm	50	-
10105TG/W	White	10W	100-240V		15cm	75mm	140mm	50	-
10105TG/B	Black	10W	100-240V		15cm	75mm	140mm	50	-
50105TG/W	White	10W	100-240V		15cm	76x76mm	140mm	50	-


The Semi Dark Light Range Aluminium




10105D1 | 10W | MR16 | GU10 | Aluminium



10105D2 | 10W | MR16 | GU10 | Aluminium



10105D4 | 10W | MR16 | GU10 | Aluminium




Order Code	Colour	Watts	Input	Class	⌀	⌀	⌈⌋	📦	Notes
10105D1/W	White	10W	100-240V	⌊	15cm	62mm	135mm	50	-
10105D1/B	Black	10W	100-240V	⌊	15cm	62mm	135mm	50	-
10105D2/W	White	10W	100-240V	⌊	15cm	62mm	120mm	50	-
10105D2/B	Black	10W	100-240V	⌊	15cm	62mm	120mm	50	-
10105D4/W	White	10W	100-240V	⌊	15cm	68mm	140mm	50	-
10105D4/B	Black	10W	100-240V	⌊	15cm	68mm	140mm	50	-



Semi Trimless Dark Light Aluminium



10105AD | 10W | MR16 | GU10 | Aluminium



10105AD | 10W | MR16 | GU10 | Aluminium





Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105AD/W/W	White	White	10W	100-240V		15cm	64mm	130mm	36	-
10105AD/W/B	White	Black	10W	100-240V		15cm	64mm	130mm	36	-
10105AD/B/B	Black	Black	10W	100-240V		15cm	64mm	130mm	36	-
10105AD/B/BS	Black	Brass	10W	100-240V		15cm	64mm	130mm	36	-

Semi Trimless Dark Light


Aluminium





10105D8 | 10W | MR16 | GU10 | Aluminium



10105D8 | 10W | MR16 | GU10 | Aluminium



10105D8 | 10W | MR16 | GU10 | Aluminium




Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105D8/W/W	White	White	10W	100-240V		15cm	62mm	130mm	50	-
10105D8/W/BS	White	Brass	10W	100-240V		15cm	62mm	130mm	50	-
10105D8/W/B	White	Black	10W	100-240V		15cm	62mm	130mm	50	-
10105D8/B/B	Black	Black	10W	100-240V		15cm	62mm	130mm	50	-
10105D8/B/BS	Black	Brass	10W	100-240V		15cm	62mm	130mm	50	-

The Chill Out Range


Round




10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector




10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105M/W/W	White	White	10W	100-240V		15cm	70mm	120mm	50	-
10105M/W/B	White	Black	10W	100-240V		15cm	70mm	120mm	50	-
10105M/W/BS	White	Brass	10W	100-240V		15cm	70mm	120mm	50	-

The Chill Out Range


Round



10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector




DARK
LIGHT
IP20



10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector




DARK
LIGHT
IP20



10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



DARK
LIGHT
IP20




Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105M/B/B	Black	Black	10W	100-240V		15cm	70mm	120mm	50	-
10105M/B/BS	Black	Brass	10W	100-240V		15cm	70mm	120mm	50	-
10105M/B/CU	Black	Copper	10W	100-240V		15cm	70mm	120mm	50	-

The Chill Out Range



Round




10105MD | 10W | MR16 | GU10 | Aluminium body + plastic reflector



10105MD | 10W | MR16 | GU10 | Aluminium body + plastic reflector




10105MD | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105MD/W/C	White	Chrome	10W	100-240V		15cm	70mm	120mm	50	-
10105MD/W/GL	White	Gold	10W	100-240V		15cm	70mm	120mm	50	-
10105MD/B/B	Black	Black	10W	100-240V		15cm	70mm	120mm	50	-


The Chill Out Range Square



50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector





DARK
LIGHT
IP20



50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector




DARK
LIGHT
IP20



50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector




DARK
LIGHT
IP20



50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



DARK
LIGHT
IP20



Order Code	Colour	Reflector	Watts	Input	Class					Notes
50105M/W/BS	White	Brass	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/B	Black	Black	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/BS	Black	Brass	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/CU	Black	Copper	10W	100-240V		15cm	76x76mm	130mm	50	-

The Asymmetric Chill Out Range

Square



50105MA/W/B





50105MA/B/B



50105MA/W/B

50105MA | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Asymmetric for shelf illumination.



50105MA/B/B

50105MA | 10W | MR16 | GU10 | Aluminium body + plastic reflector

Asymmetric for shelf illumination.



Order Code	Colour	Reflector	Watts	Input	Class					Notes
50105MA/W/B	White	Black	10W	100-240V		15cm	76x76mm	150mm	50	Asymmetric
50105MA/B/B	Black	Black	10W	100-240V		15cm	76x76mm	150mm	50	Asymmetric



The Bathroom Range Aluminium

10105CJ | 50W | MR16 | GU5,3 | Aluminium



10105CJ/ABS/5



Order Code	Colour	Watts	Input	Class					Notes
10105CJ/ABS/5	Antique brass	50W	12V		40cm	102mm	120mm	50	-


The Fire Rated Dark Light



10109F | 10W | MR16 | GU10 | Fire Rated | Aluminium



10109F/W



Order Code	Colour	Watts	Input	Class				Notes
10109F/W	White	10W	100-240V		73mm	160mm	30	-

one

The IP65 Bathroom Range

Aluminium

10105R1/AL

10105R1/W

10105R1 | 10W | MR16 | GU10 | Aluminium




IP65



Complete with 0950GB.



Clear glass.



10105R1/W



10105R1/B




IP65



Complete with 0950GB.



Clear glass.



10105R1 | 10W | MR16 | GU10 | Aluminium




IP65



Complete with 0950GB.



Clear glass.




10105R1/AL

50105R1 | 10W | MR16 | GU10 | Aluminium

Complete with 0950GB.




IP65



50105R1/B



50105R1/AL



50105R1/W

Order Code	Colour	Watts	Input	Class					Notes
10105R1/W	White	10W	100-240V		15cm	68mm	120mm	50	Clear glass
10105R1/B	Black	10W	100-240V		15cm	68mm	120mm	50	Clear glass
10105R1/AL	Aluminium	10W	100-240V		15cm	68mm	120mm	50	Clear glass
50105R1/W	White	10W	100-240V		15cm	68mm	120mm	50	Clear glass
50105R1/B	Black	10W	100-240V		15cm	68mm	120mm	50	Clear glass
50105R1/AL	Aluminium	10W	100-240V		15cm	68mm	120mm	50	Clear glass

The IP65 Dark Light Range Aluminium



10105R2 | 10W | MR16 | GU10 | Aluminium




10105R2/W



Complete with 0950G.



Clear glass.



10105R2 | 10W | MR16 | GU10 | Aluminium




10105R2/B



Complete with 0950G.



Clear glass.




Order Code	Colour	Watts	Input	Class					Notes
10105R2/W	White	10W	100-240V		15cm	82mm	130mm	50	Clear glass
10105R2/B	Black	10W	100-240V		15cm	82mm	130mm	50	Clear glass



The IP65 Dark Light Range Aluminium



10105R2P | 10W | MR16 | GU10 | Aluminium



Order Code	Colour	Watts	Input	Class					Notes
10105R2P/W	White	10W	100-240V		15cm	82mm	130mm	50	Prismatic glass




Recessed Cylinders Aluminium



10105D9 | 10W | MR16 | GU10 | Aluminium




DARK
LIGHT
IP20



10105D9 | 10W | MR16 | GU10 | Aluminium




DARK
LIGHT
IP20



10105D9 | 10W | MR16 | GU10 | Aluminium



DARK
LIGHT
IP20



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105D9/W/B	White	Black	10W	100-240V		15cm	62mm	100mm	50	-
10105D9/B/B	Black	Black	10W	100-240V		15cm	62mm	100mm	50	-
10105D9/B/GL	Black	Gold	10W	100-240V		15cm	62mm	100mm	50	-

Recessed Cylinders

Aluminium



10105Y | 10W | MR16 | GU10 | Aluminium



10105Y/W



Complete with 0950GB.



10105Y | 10W | MR16 | GU10 | Aluminium



10105Y/B



Complete with 0950GB.



10105E1 | 10W | MR16 | GU10 | Aluminium



10105E1/B/GL



Complete with 0950GB.




Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105Y/W	White	-	10W	100-240V		15cm	68mm	120mm	50	-
10105Y/B	Black	-	10W	100-240V		15cm	68mm	120mm	50	-
10105E1/B/GL	Black	Gold	10W	100-240V		15cm	62mm	100mm	50	-

Trimless Gypsum



10105GT2



10105GT1



10105GT1



10105GT1 | 10W | MR16 | GU10 | Trimless | Gypsum



IP20



Suitable for GU10 LED lamp.



10105GT2


10105GT2 | 10W | MR16 | GU10 | Trimless | Gypsum



DARK LIGHT
IP20




Suitable for GU10 LED lamp.



Order Code	Colour	Watts	Input	Class					Notes
10105GT1	White	10W	100-240V		15cm	102mm	100mm	24	-
10105GT2	White	10W	100-240V		15cm	132mm	150mm	24	-

The Trimless Chill Out Range



Aluminium



10105TR | 10W | MR16 | GU10 | Trimless | Aluminium





DARK
LIGHT
IP20



10105TR | 10W | MR16 | GU10 | Trimless | Aluminium




DARK
LIGHT
IP20



10105TR | 10W | MR16 | GU10 | Trimless | Aluminium



DARK
LIGHT
IP20



Order Code	Colour	Watts	Input	Class					Notes
10105TR/W	White	10W	100-240V		15cm	70mm	120mm	60	-
10105TR/B	Black	10W	100-240V		15cm	70mm	120mm	60	-
10105TR/BS	Brass	10W	100-240V		15cm	70mm	120mm	60	-












The Trimless Chill Out Range

Round



10105MR | 10W | MR16 | GU10 | Trimless | Aluminium

Reflector must be ordered separately.



Order Code	Colour	Watts	Input	Class	15cm	90mm	130mm	50	Notes
10105MR	White	10W	100-240V						-




The Trimless Chill Out Range

Round



10105RM | 10W | MR16 | GU10 | Trimless | Aluminium body + plastic reflector

Reflector must be ordered separately.



Order Code	Colour	Watts	Input	Class					Notes
10105RM	White	10W	100-240V		15cm	90mm	130mm	50	-

The Trimless Chill Out Range Square



50105RM | 10W | MR16 | GU10 | Trimless | Aluminium body + plastic reflector


Reflector must be ordered separately.




50105RM



Complete with 0950GB.



050098/W White



050098/B Black



050098/BS Brass



50105RM + 050098/W



50105RM + 050098/B




50105RM + 050098/BS

Order Code	Colour	Watts	Input	Class					Notes
50105RM	White	10W	100-240V		15cm	85x75mm	130mm	50	-

Trimless Cylinder



10105YTR | 10W | MR16 | GU10 | Trimless | Aluminium



Order Code	Colour	Watts	Input	Class					Notes
10105YTR/W	White	10W	100-240V		15cm	80mm	130mm	50	-