



Wall & Ceiling LED

Pages 395-458

12



Zoomable Moving Heads COB



12115G/W/W

12115G | 15W | COB | Adjustable beam 15° - 45° | Aluminium

Complete with honeycomb.




IP20



Zoomable



Removable Honeycomb



12115G/B/W

12115G | 15W | COB | Adjustable beam 15° - 45° | Aluminium

Complete with honeycomb.




IP20



Zoomable



Removable Honeycomb



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12115G/W/W	White	Warm white	3000K	15W	1500lm	15°-45°	230V	⌚	40	Complete with 350mA driver
12115G/B/W	Black	Warm white	3000K	15W	1500lm	15°-45°	230V	⌚	40	Complete with 350mA driver



12208LA/W/V

12108LA/B/V

The COB Adjustable Display Spots



12108LA/B/V

12108LA | 8W | COB | Aluminium



new
IP20



12108LA/W/V




12208LA/B/W

12208LA | 2x8W | COB | Aluminium



IP20



12208LA/B/V


12208LA | 2x8W | COB | Aluminium



new
IP20



12208LA/W/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12108LA/W/V	White	CCT V	3000K-3500K-4000K	8W	600lm	25°	230V	⌚	24	Complete with 350mA driver
12108LA/B/V	Black	CCT V	3000K-3500K-4000K	8W	600lm	25°	230V	⌚	24	Complete with 350mA driver
12208LA/B/W	Black	Warm white	3000K	2x8W	2x600lm	25°	230V	⌚	18	Complete with 2x700mA drivers
12208LA/W/V	White	CCT V	3000K-3500K-4000K	2x8W	2x600lm	25°	230V	⌚	18	Complete with 2x350mA drivers
12208LA/B/V	Black	CCT V	3000K-3500K-4000K	2x8W	2x600lm	25°	230V	⌚	18	Complete with 2x350mA drivers

The COB Cylinder Spots

65004B/B/W


65004A | 5W | COB | Aluminium


65004A/W/W

IP20



Complete with Black, Brass & White reflectors.



65004A | 5W | COB | Aluminium


65004A/B/W

IP20



Complete with Black, Brass & White reflectors.



65004B | 2x5W | COB | Aluminium


65004B/W/W

IP20



Complete with Black, Brass & White reflectors.



65004B | 2x5W | COB | Aluminium


65004B/B/W

IP20



Complete with Black, Brass & White reflectors.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65004A/W/W	White	Warm white	3000K	5W	450lm	36°	230V		30	Complete with 500mA driver
65004A/B/W	Black	Warm white	3000K	5W	450lm	36°	230V		30	Complete with 500mA driver
65004B/W/W	White	Warm white	3000K	2x5W	900lm	36°	230V		24	Complete with 250mA driver
65004B/B/W	Black	Warm white	3000K	2x5W	900lm	36°	230V		24	Complete with 250mA driver




The COB Cylinder Spots



65004C | 3x5W | COB | Aluminium






IP20



65004D | 3x5W | COB | Aluminium





IP20



65004E | 4x5W | COB | Aluminium



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65004C/W/W	White	Warm white	3000K	3x5W	1350lm	36°	230V	⌚	12	Complete with 500mA driver
65004C/B/W	Black	Warm white	3000K	3x5W	1350lm	36°	230V	⌚	12	Complete with 500mA driver
65004D/W/W	White	Warm white	3000K	3x5W	1350lm	36°	230V	⌚	8	Complete with 500mA driver
65004D/B/W	Black	Warm white	3000K	3x5W	1350lm	36°	230V	⌚	8	Complete with 500mA driver
65004E/W/W	White	Warm white	3000K	4x5W	1800lm	36°	230V	⌚	6	Complete with 500mA driver
65004E/B/W	Black	Warm white	3000K	4x5W	1800lm	36°	230V	⌚	6	Complete with 500mA driver

Indirect Wall Light

CCT V



38010A/B/V

38010A | 12W | SMD | Aluminium



new
IP20

new



38010A/W/V



38010B | 23W | SMD | Aluminium



new
IP20

new



38010B/W/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38010A/W/V	White	CCT V	2700K-3100K-3500K	12W	720lm	230V	⌚	10	Complete with 300mA driver
38010A/B/V	Black	CCT V	2700K-3100K-3500K	12W	720lm	230V	⌚	10	Complete with 300mA driver
38010B/W/V	White	CCT V	2700K-3100K-3500K	23W	1380lm	230V	⌚	10	Complete with 700mA driver
38010B/B/V	Black	CCT V	2700K-3100K-3500K	23W	1380lm	230V	⌚	10	Complete with 700mA driver

one



67466C/W/W



67466B/B/W

The Backlight Wall Range Aluminium


67466A | 6W | SMD | Aluminium



IP20



67466A/B/W




67466B | 6W | SMD | Aluminium



IP20



67466B/B/W




67466C | 12W | SMD | Aluminium



IP20



67466C/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67466A/W/W	White	Warm white	3000K	6W	400lm	230V	⚡	12	Complete with 300mA driver
67466A/B/W	Black	Warm white	3000K	6W	400lm	230V	⚡	12	Complete with 300mA driver
67466B/W/W	White	Warm white	3000K	6W	400lm	230V	⚡	12	Complete with 300mA driver
67466B/B/W	Black	Warm white	3000K	6W	400lm	230V	⚡	12	Complete with 300mA driver
67466C/W/W	White	Warm white	3000K	12W	800lm	230V	⚡	12	Complete with 300mA driver
67466C/B/W	Black	Warm white	3000K	12W	800lm	230V	⚡	12	Complete with 300mA driver



12107KA/W/W + 050106/B




12107K/B/W + 050106/BS



12107K/W/W + 050106/W

The Chill Out LED Cylinders

Dimmable




12107K/B/W + 050106/BS

12107K | 7W | COB | Dimmable | Aluminium

Ring must be ordered separately.



12107K/W/W + 050106/B




12107KA/B/W + 050106/BS

12107KA | 7W | COB | Dimmable | Aluminium

Ring must be ordered separately.




12107KA/W/W + 050106/B



050106/W White



050106/B Black



050106/BS Brass

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12107K/W/W	White	Warm white	3000K	7W	500lm	35°	230V	⊕	30	AC LED
12107K/B/W	Black	Warm white	3000K	7W	500lm	35°	230V	⊕	30	AC LED
12107KA/W/W	White	Warm white	3000K	7W	500lm	35°	230V	⊕	30	AC LED
12107KA/B/W	Black	Warm white	3000K	7W	500lm	35°	230V	⊕	30	AC LED



12115D/B/W

12115D/W/W

LED Decorative Cylinders




12110D/W/W

12110D | 10W | COB | Aluminium



IP20




12115D/B/W



12115D | 15W | COB | Aluminium + plastic



IP20



12115D/W/W




12108T/B/W

12108T | 8W | COB | Aluminium




DARK LIGHT



IP20



12108T/W/W



Complete with Black & Brass reflectors.




12112T/B/W

12112T | 12W | COB | Aluminium




DARK LIGHT


IP20



12112T/W/W




Complete with Black & Brass reflectors.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12110D/W/W	White	Warm white	3000K	10W	800lm	36°	230V	⊕	18	Complete with 500mA driver
12115D/W/W	White	Warm white	3000K	15W	1200lm	45°	230V	⊕	24	Complete with 350mA driver
12115D/B/W	Black	Warm white	3000K	15W	1200lm	45°	230V	⊕	24	Complete with 350mA driver
12108T/W/W	White	Warm white	3000K	8W	720lm	36°	230V	⊕	30	Complete with 700mA driver
12108T/B/W	Black	Warm white	3000K	8W	720lm	36°	230V	⊕	30	Complete with 700mA driver
12112T/W/W	White	Warm white	3000K	12W	1080lm	36°	230V	⊕	20	Complete with 350mA driver
12112T/B/W	Black	Warm white	3000K	12W	1080lm	36°	230V	⊕	20	Complete with 350mA driver



LED Fashion Cylinders



12107V | 7W | LED | Dimmable | Aluminium



IP20





12107VA | 7W | LED | Dimmable | Aluminium



new

IP20




12112F | 12W | COB | Aluminium



new

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12107V/W/W	White	Warm white	3000K	7W	500lm	40°	230V	⌚	20	AC LED
12107V/B/W	Black	Warm white	3000K	7W	500lm	40°	230V	⌚	20	AC LED
12107VA/W/W	White	Warm white	3000K	7W	500lm	40°	230V	⌚	20	AC LED
12107VA/B/W	Black	Warm white	3000K	7W	500lm	40°	230V	⌚	20	AC LED
12112F/W/V	White	CCT V	3000K-3500K-4000K	12W	960lm	120°	230V	⌚	50	Complete with 300mA driver
12112F/B/V	Black	CCT V	3000K-3500K-4000K	12W	960lm	120°	230V	⌚	50	Complete with 300mA driver



12108C/B/V

12108C | 8W | COB | Aluminium

new
IP20

12108C/W/V



12122C/B/W


12122C | 22W | COB | Aluminium



IP20



12122C/W/V




12122C/B/V

12122C | 22W | COB | Aluminium

new
IP20

12122C/W/V



12108X/W/W

12108X | 8W | COB | Dimmable | Aluminium



IP20





12208XA/W/W

12108XA | 8W | COB | Dimmable | Aluminium



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12108C/W/V	White	CCT V	3000K-3500K-4000K	8W	650lm	38°	230V	⊕	50	Complete with 350mA driver
12108C/B/V	Black	CCT V	3000K-3500K-4000K	8W	650lm	38°	230V	⊕	50	Complete with 350mA driver
12122C/B/W	Black	Warm white	3000K	22W	1500lm	38°	230V	⊕	20	Complete with 500mA driver
12122C/W/V	White	CCT V	3000K-3500K-4000K	22W	1760lm	38°	230V	⊕	20	Complete with 500mA driver
12122C/B/V	Black	CCT V	3000K-3500K-4000K	22W	1760lm	38°	230V	⊕	20	Complete with 500mA driver
12108X/W/W	White	Warm white	3000K	8W	640lm	36°	230V	⊕	36	Complete with 350mA dimmable driver
12108XA/W/W	White	Warm white	3000K	8W	640lm	36°	230V	⊕	36	Complete with 350mA dimmable driver

Dark Light Cylinders Tubes

Aluminium

12122D/W/W + 050208/BS


12108D/BBS/W + 050206/B

Reflector must be ordered separately.


12108D | 8W | COB | Aluminium



12108D/W/W + 050206/W



12108D/B/W + 050206/B



Reflector must be ordered separately.


12108D | 8W | COB | Aluminium



12108D/BBS/W + 050206/B



12108D/MG/W + 050206/B




Reflector must be ordered separately.

12108DB | 8W | LED | Backlit | Aluminium



12108DB/W/W + 050206/B



050206/W White

050206/B Black

050206/BS Brass

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12108D/W/W	White	Warm white	3000K	8W	560lm	24°	230V	⌚	50	Complete with 700mA driver
12108D/B/W	Black	Warm white	3000K	8W	560lm	24°	230V	⌚	50	Complete with 700mA driver
12108D/BBS/W	Brushed brass	Warm white	3000K	8W	560lm	24°	230V	⌚	50	Complete with 700mA driver
12108D/MG/W	Metal grey	Warm white	3000K	8W	560lm	24°	230V	⌚	50	Complete with 700mA driver
12108DB/W/W	White	Warm white	3000K	8W	320+100lm	36°	230V	⌚	50	Complete with 700mA driver

Dark Light Cylinders Tubes Aluminium



12122D | 22W | COB | Aluminium


Reflector must be ordered separately.



12122D/W/W + 050208/BS



12122D/B/W + 050208/B



12122D | 22W | COB | Aluminium


Reflector must be ordered separately.



12122D/BBS/W + 050208/B



12122D/MG/W + 050208/B



050208/W White




050208/B Black



050208/BS Brass

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
12122D/W/W	White	Warm white	3000K	22W	1540lm	24°	230V	⚡	20	Complete with 500mA driver
12122D/B/W	Black	Warm white	3000K	22W	1540lm	24°	230V	⚡	20	Complete with 500mA driver
12122D/BBS/W	Brushed brass	Warm white	3000K	22W	1540lm	24°	230V	⚡	20	Complete with 500mA driver
12122D/MG/W	Metal grey	Warm white	3000K	22W	1540lm	24°	230V	⚡	20	Complete with 500mA driver



The Retro Dark Light Cylinders



12112Z | 12W | COB | Aluminium + Plastic





Complete with Black & Brass reflectors. Optional White reflector code 050378B/W.



12120Z | 20W | COB | Aluminium + Plastic




Complete with Black & Brass reflectors. Optional White reflector code 050378C/W.



12130Z | 30W | COB | Aluminium + Plastic




Complete with Black & Brass reflectors.






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112Z/W/W	White	Warm white	3000K	12W	960lm	45°	230V		30	Complete with 300mA driver
12112Z/B/W	Black	Warm white	3000K	12W	960lm	45°	230V		30	Complete with 300mA driver
12120Z/W/W	White	Warm white	3000K	20W	1600lm	45°	230V		24	Complete with 500mA driver
12120Z/B/W	Black	Warm white	3000K	20W	1600lm	45°	230V		24	Complete with 500mA driver
12130Z/B/W	Black	Warm white	3000K	30W	2400lm	45°	230V		12	Complete with 700mA driver

The Retro Dark Light Cylinders CCT V





12112Z | 12W | COB | Aluminium

Reflector must be ordered separately.




12120Z | 20W | COB | Aluminium

Reflector must be ordered separately.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12112Z/W/V	White	CCT V	3000K-3500K-4000K	12W	960lm	45°	230V	⊕	30	Complete with 300mA driver
12112Z/B/V	Black	CCT V	3000K-3500K-4000K	12W	960lm	45°	230V	⊕	30	Complete with 300mA driver
12120Z/W/V	White	CCT V	3000K-3500K-4000K	20W	1600lm	45°	230V	⊕	24	Complete with 500mA driver
12120Z/B/V	Black	CCT V	3000K-3500K-4000K	20W	1600lm	45°	230V	⊕	24	Complete with 500mA driver




The Retro Dark Light Cubes

12110HA | 10W | COB | Aluminium





12110HA/W/W

12115HA | 15W | COB | Aluminium





12115HA/W/W

12112ZA | 12W | COB | Aluminium + Plastic



12112ZA/B/W

12120ZA | 20W | COB | Aluminium + Plastic



12120ZA/B/W

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12110HA/W/W	White	Warm white	3000K	10W	800lm	60°	230V	⊕	48	Complete with 250mA driver
12115HA/W/W	White	Warm white	3000K	15W	1200lm	60°	230V	⊕	48	Complete with 350mA driver
12112ZA/W/W	White	Warm white	3000K	12W	960lm	45°	230V	⊕	30	Complete with 300mA driver
12112ZA/B/W	Black	Warm white	3000K	12W	960lm	45°	230V	⊕	30	Complete with 300mA driver
12120ZA/W/W	White	Warm white	3000K	20W	1600lm	45°	230V	⊕	24	Complete with 500mA driver
12120ZA/B/W	Black	Warm white	3000K	20W	1600lm	45°	230V	⊕	24	Complete with 500mA driver

The Dark Light Cylinders

CCT V



12106E/W/V


12106E | 6W | COB | Aluminium



new



12106E/B/V



12112E/W/V


12112E | 12W | COB | Aluminium



new



12112E/B/V



12114E/W/V


12114E | 14W | COB | Aluminium



new



12114E/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
12106E/W/V	White	CCT V	3000K-3500K-4000K	6W	420lm	38°	230V	⚡	50	Complete with 150mA driver
12106E/B/V	Black	CCT V	3000K-3500K-4000K	6W	420lm	38°	230V	⚡	50	Complete with 150mA driver
12112E/W/V	White	CCT V	3000K-3500K-4000K	12W	840lm	38°	230V	⚡	50	Complete with 300mA driver
12112E/B/V	Black	CCT V	3000K-3500K-4000K	12W	840lm	38°	230V	⚡	50	Complete with 300mA driver
12114E/W/V	White	CCT V	3000K-3500K-4000K	14W	980lm	38°	230V	⚡	50	Complete with 350mA driver
12114E/B/V	Black	CCT V	3000K-3500K-4000K	14W	980lm	38°	230V	⚡	50	Complete with 350mA driver

The Backlight Cylinders



12112A | 10W+2W | COB | Aluminium

Downlight + Uplight.



12112A/W/W



12112A/B/W



12120A/W/W



12120A/B/W



12128A/W/W



12128A/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112A/W/W	White	Warm white	3000K	10W+2W	1000lm	60°	230V	⚡	40	Complete with 300mA driver
12112A/B/W	Black	Warm white	3000K	10W+2W	1000lm	60°	230V	⚡	40	Complete with 300mA driver
12120A/W/W	White	Warm white	3000K	18W+2W	1800lm	60°	230V	⚡	30	Complete with 500mA driver
12120A/B/W	Black	Warm white	3000K	18W+2W	1800lm	60°	230V	⚡	30	Complete with 500mA driver
12128A/W/W	White	Warm white	3000K	26W+2W	2600lm	60°	230V	⚡	20	Complete with 700mA driver
12128A/B/W	Black	Warm white	3000K	26W+2W	2600lm	60°	230V	⚡	20	Complete with 700mA driver

The PRO Cylinders Range



12120F/B/W



12120F/W/W



12112A/W/W




12115F/B/W

12115F | 15W | COB | Aluminium



0750A/15 (15°)
0750A/24 (24°)



12120F/W/W


12120F | 20W | COB | Aluminium



12120F/B/W



0750B/15 (15°)



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⊞	Notes
12115F/B/W	Black	Warm white	3000K	15W	1800lm	38°	230V	⊞	20	Complete with 350mA driver
12120F/W/W	White	Warm white	3000K	20W	2400lm	38°	230V	⊞	10	Complete with 450mA driver
12120F/B/W	Black	Warm white	3000K	20W	2400lm	38°	230V	⊞	10	Complete with 450mA driver

The Interchangeable Reflectors Cylinders CCT V



12110R/W/V

12110R | 10W | COB | Aluminium




new
IP20

new



12110R/B/V

Optional White reflector
code 050106B/W.Optional Brass reflector
code 050106B/BS.

12118R/W/V

12118R | 18W | COB | Aluminium




new
IP20

new



12118R/B/V

Optional White reflector
code 050106C/W.Optional Brass reflector
code 050106C/BS.

12125R/W/V

12125R | 25W | COB | Aluminium




new
IP20

new



12125R/B/V

Optional White reflector
code 050106D/W.Optional Brass reflector
code 050106D/BS.


Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12110R/W/V	White	Black	CCT V	3000K-3500K-4000K	10W	1000lm	38°	230V	⌚	30	Complete with 250mA driver
12110R/B/V	Black	Black	CCT V	3000K-3500K-4000K	10W	1000lm	38°	230V	⌚	30	Complete with 250mA driver
12118R/W/V	White	Black	CCT V	3000K-3500K-4000K	18W	1800lm	38°	230V	⌚	20	Complete with 450mA driver
12118R/B/V	Black	Black	CCT V	3000K-3500K-4000K	18W	1800lm	38°	230V	⌚	20	Complete with 450mA driver
12125R/W/V	White	Black	CCT V	3000K-3500K-4000K	25W	2500lm	38°	230V	⌚	18	Complete with 650mA driver
12125R/B/V	Black	Black	CCT V	3000K-3500K-4000K	25W	2500lm	38°	230V	⌚	18	Complete with 650mA driver



12107R/W/W

12118R/B/W

The Interchangeable Reflectors Cylinders



12107R/W/W



12107R | 7W | COB | Dimmable | Aluminium



IP20



12107R/B/W


Optional White reflector
code 050106A/W.

Optional Brass reflector
code 050106A/BS.



12110R/B/W

12110R | 10W | COB | Aluminium



IP20


Optional White reflector
code 050106B/W.

Optional Brass reflector
code 050106B/BS.




12118R/B/W

12118R | 18W | COB | Aluminium



IP20


Optional White reflector
code 050106C/W.

Optional Brass reflector
code 050106C/BS.


12125R/W/W

12125R | 25W | COB | Aluminium




IP20



12125R/B/W


Optional White reflector
code 050106D/W.

Optional Brass reflector
code 050106D/BS.


Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12107R/W/W	White	Black	Warm white	3000K	7W	500lm	38°	230V	⊕	50	AC LED
12107R/B/W	Black	Black	Warm white	3000K	7W	500lm	38°	230V	⊕	50	AC LED
12110R/B/W	Black	Black	Warm white	3000K	10W	1000lm	38°	230V	⊕	30	Complete with 250mA driver
12118R/B/W	Black	Black	Warm white	3000K	18W	1800lm	38°	230V	⊕	20	Complete with 450mA driver
12125R/W/W	White	Black	Warm white	3000K	25W	2500lm	38°	230V	⊕	18	Complete with 650mA driver
12125R/B/W	Black	Black	Warm white	3000K	25W	2500lm	38°	230V	⊕	18	Complete with 650mA driver

The Dark Light Mirror Cylinders

Aluminium




12106X | 6W | SMD | Aluminium



90
CRI

CE

5
YEAR





12112X | 12W | SMD | Aluminium



90
CRI

CE

5
YEAR




12120X | 20W | SMD | Aluminium



90
CRI

CE

5
YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12106X/W/W	White	Warm white	3000K	6W	480lm	38°	230V	⌚	40	Complete with 150mA driver
12112X/B/W	Black	Warm white	3000K	12W	960lm	38°	230V	⌚	40	Complete with 300mA driver
12120X/B/W	Black	Warm white	3000K	20W	1600lm	38°	230V	⌚	30	Complete with 450mA driver



12110HB/W/W



12112H/B/W


The Dark Light Ceiling Lights

Aluminium

12110H | 10W | SMD | Aluminium




12110H/W/W



12110HB | 10W | SMD | Aluminium




12110HB/W/W



12112H | 12W | SMD | Aluminium




12112H/W/W



12124H | 24W | SMD | Aluminium



12124H/W/W



12110H/B/W



12110HB/B/W



12112H/B/W



12124H/B/W

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12110H/W/W	White	Warm white	3000K	10W	700lm	38°	230V	⊕	30	Complete with 700mA driver
12110H/B/W	Black	Warm white	3000K	10W	700lm	38°	230V	⊕	30	Complete with 700mA driver
12110HB/W/W	White	Warm white	3000K	10W	700lm	38°	230V	⊕	30	Complete with 700mA driver
12110HB/B/W	Black	Warm white	3000K	10W	700lm	38°	230V	⊕	30	Complete with 700mA driver
12112H/W/W	White	Warm white	3000K	12W	840lm	38°	230V	⊕	40	Complete with 700mA driver
12112H/B/W	Black	Warm white	3000K	12W	840lm	38°	230V	⊕	40	Complete with 700mA driver
12124H/W/W	White	Warm white	3000K	24W	1700lm	38°	230V	⊕	30	Complete with 700mA driver
12124H/B/W	Black	Warm white	3000K	24W	1700lm	38°	230V	⊕	30	Complete with 700mA driver



Surface Shop Square Boxes Aluminium



12107B/W/W

12107B | 7W | COB | Dimmable | Aluminium



IP20




12207B/W/W

12207B | 2x7W | COB | Aluminium



IP20




12307B/W/W

12307B | 3x7W | COB | Aluminium



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⊞	Notes
12107B/W/W	White	Warm white	3000K	7W	550lm	36°	230V	⊞	36	Complete with 350mA driver
12207B/W/W	White	Warm white	3000K	2x7W	1100lm	36°	100-240V	⊞	24	Complete with 350mA driver
12307B/W/W	White	Warm white	3000K	3x7W	1650lm	36°	100-240V	⊞	12	Complete with 350mA driver

Mirror Square Boxes




12106B/W/W



IP20




12106B/B/W



12406B/W/W




IP20



12906B/W/W



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12106B/W/W	White	Warm white	3000K	6W	480lm	38°	230V		60	Complete with 120mA driver
12106B/B/W	Black	Warm white	3000K	6W	480lm	38°	230V		60	Complete with 120mA driver
12406B/W/W	White	Warm white	3000K	15W	1200lm	38°	230V		30	Complete with 350mA driver
12906B/W/W	White	Warm white	3000K	30W	2400lm	38°	230V		12	Complete with 700mA driver

Dark Light Ceiling Tubes

12906C/B/W




12406C/B/W

12606C/B/W




12406C/W/W

12406C | 10W | SMD | Aluminium




12406C/B/W



12606C/B/W

12606C | 15W | SMD | Aluminium




12906C/W/W

12906C | 20W | SMD | Aluminium



12906C/B/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12406C/W/W	White	Warm white	3000K	10W	800lm	25°	230V	⌚	40	Complete with 700mA driver
12406C/B/W	Black	Warm white	3000K	10W	800lm	25°	230V	⌚	40	Complete with 700mA driver
12606C/B/W	Black	Warm white	3000K	15W	1200lm	25°	230V	⌚	30	Complete with 700mA driver
12906C/W/W	White	Warm white	3000K	20W	1600lm	25°	230V	⌚	20	Complete with 700mA driver
12906C/B/W	Black	Warm white	3000K	20W	1600lm	25°	230V	⌚	20	Complete with 700mA driver





The Hidden Light Cylinders Range

12108FD | 8W | SMD | Aluminium





12108FD/W/V

12108FD | 8W | SMD | Aluminium





12108FD/B/BS

12116FD | 16W | SMD | Aluminium



12116FD/W/W

12116FD | 16W | SMD | Aluminium



12116FD/B/BS

Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
12108FD/W/V	White	White	CCT V	3000K-3500K-4000K	8W	560lm	230V	⌚	36	Complete with 300mA driver
12108FD/B/BS	Black	Brass	Warm white	3000K	8W	400lm	230V	⌚	36	Complete with 300mA driver
12116FD/W/W	White	White	Warm white	3000K	16W	1100lm	230V	⌚	20	Complete with 300mA driver
12116FD/B/BS	Black	Brass	Warm white	3000K	16W	800lm	230V	⌚	20	Complete with 300mA driver



12130D/B/V



12125D/W/V

The UGR19 Cylinders

CCT V White




12112D/W/V

12112D | 12W | SMD | Aluminium




12120D/W/V

12120D | 20W | SMD | Aluminium




12125D/W/V

12125D | 25W | SMD | Aluminium



12130D/W/V

12130D | 30W | SMD | Aluminium





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112D/W/V	White	CCT V	3000K-4000K-5000K	12W	1200lm	120°	230V	⊕	30	Complete with 300mA driver
12120D/W/V	White	CCT V	3000K-4000K-5000K	20W	2000lm	120°	230V	⊕	30	Complete with 500mA driver
12125D/W/V	White	CCT V	3000K-4000K-5000K	25W	2500lm	120°	230V	⊕	20	Complete with 650mA driver
12130D/W/V	White	CCT V	3000K-4000K-5000K	30W	3000lm	120°	230V	⊕	12	Complete with 750mA driver

The UGR19 Cylinders CCT V Black


12112D/B/V

12112D | 12W | SMD | Aluminium




12120D/B/V

12120D | 20W | SMD | Aluminium




12125D/B/V

12125D | 25W | SMD | Aluminium



12130D/B/V


12130D | 30W | SMD | Aluminium




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112D/B/V	Black	CCT V	3000K-4000K-5000K	12W	1200lm	120°	230V	⌚	30	Complete with 300mA driver
12120D/B/V	Black	CCT V	3000K-4000K-5000K	20W	2000lm	120°	230V	⌚	30	Complete with 500mA driver
12125D/B/V	Black	CCT V	3000K-4000K-5000K	25W	2500lm	120°	230V	⌚	20	Complete with 650mA driver
12130D/B/V	Black	CCT V	3000K-4000K-5000K	30W	3000lm	120°	230V	⌚	12	Complete with 750mA driver

The Opal Diffuser Cylinders


CCT V



12109M | 9W | SMD | Aluminium




new
IP20



12114M | 14W | SMD | Aluminium




new
IP20



12120M | 20W | SMD | Aluminium



new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12109M/W/V	White	CCT V	3000K-4000K-5000K	9W	720lm	120°	230V	⊕	50	Complete with 220mA driver
12109M/B/V	Black	CCT V	3000K-4000K-5000K	9W	720lm	120°	230V	⊕	50	Complete with 220mA driver
12114M/W/V	White	CCT V	3000K-4000K-5000K	14W	1120lm	120°	230V	⊕	30	Complete with 350mA driver
12114M/B/V	Black	CCT V	3000K-4000K-5000K	14W	1120lm	120°	230V	⊕	30	Complete with 350mA driver
12120M/W/V	White	CCT V	3000K-4000K-5000K	20W	1600lm	120°	230V	⊕	20	Complete with 500mA driver
12120M/B/V	Black	CCT V	3000K-4000K-5000K	20W	1600lm	120°	230V	⊕	20	Complete with 500mA driver

Outdoor Ceiling Cylinders


Aluminium



67138C | 6W | COB | Aluminium




IP54



67138D | 6W | COB | Aluminium




IP54



67380 | 10W | COB | Aluminium




IP54



67516C | 40W | COB | Aluminium



DARK LIGHT
IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67138C/W/W	White	Warm white	3000K	6W	440lm	35°	100-240V	⌚	18	Complete with 500mA driver
67138C/AN/W	Anthracite	Warm white	3000K	6W	440lm	35°	100-240V	⌚	18	Complete with 500mA driver
67138C/B/W	Black	Warm white	3000K	6W	440lm	35°	100-240V	⌚	18	Complete with 500mA driver
67138D/AN/W	Anthracite	Warm white	3000K	6W	440lm	35°	100-240V	⌚	18	Complete with 500mA driver
67138D/B/W	Black	Warm white	3000K	6W	440lm	35°	100-240V	⌚	18	Complete with 500mA driver
67138D/G/W	Grey	Warm white	3000K	6W	440lm	35°	100-240V	⌚	18	Complete with 500mA driver
67380/W/W	White	Warm white	3000K	10W	730lm	60°	230V	⌚	24	Complete with 230mA driver
67516C/W/W	White	Warm white	3000K	40W	3200lm	40°	230V	⌚	6	Complete with 1000mA driver

The IP65 Cylinders 12-25W



67540A/W/W + 050406A/B



67540B/B/W



67540C/W/V



67540A/W/W

67540A | 12W | COB | Aluminium




new



67540A/B/W



Optional Black reflector
for 67540A/W/W.
Order code 050406A/B.



67540B/W/W

67540B | 18W | COB | Aluminium




new



67540B/B/W



Optional Black reflector
for 67540B/W/W.
Order code 050406B/B.



67540C/W/V

67540C | 25W | COB | Aluminium




new



67540C/B/V



Optional Black reflector
for 67540C/W/V.
Order code 050406C/B.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67540A/W/W	White	Warm white	3000K	12W	1200lm	40°	230V		40	Complete with 300mA driver
67540A/B/W	Black	Warm white	3000K	12W	1200lm	40°	230V		40	Complete with 300mA driver
67540B/W/W	White	Warm white	3000K	18W	1800lm	40°	230V		20	Complete with 450mA driver
67540B/B/W	Black	Warm white	3000K	18W	1800lm	40°	230V		20	Complete with 450mA driver
67540C/W/V	White	CCT V	3000K-3500K-4000K	25W	2500lm	40°	230V		10	Complete with 600mA driver
67540C/B/V	Black	CCT V	3000K-3500K-4000K	25W	2500lm	40°	230V		10	Complete with 600mA driver



The IP65 Cylinders 35-40W CCT V



67540D | 35W | COB | Aluminium



67540E | 40W | COB | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Ⓛ	Notes
67540D/W/V	White	CCT V	3000K-3500K-4000K	35W	3500lm	40°	230V	Ⓛ	10	Complete with 900mA driver
67540D/B/V	Black	CCT V	3000K-3500K-4000K	35W	3500lm	40°	230V	Ⓛ	10	Complete with 900mA driver
67540E/W/V	White	CCT V	3000K-3500K-4000K	40W	4000lm	40°	230V	Ⓛ	10	Complete with 1000mA driver
67540E/B/V	Black	CCT V	3000K-3500K-4000K	40W	4000lm	40°	230V	Ⓛ	10	Complete with 1000mA driver

Outdoor Wall Cylinders


Down beam



67138E | 6W | COB | Aluminium





IP54



67138E | 6W | COB | Aluminium




IP54



67138E | 6W | COB | Aluminium




IP54



67138E | 6W | COB | Aluminium



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67138E/W/W	White	Warm white	3000K	6W	440lm	35°	100-240V	⌚	12	Complete with 500mA driver
67138E/AN/W	Anthracite	Warm white	3000K	6W	440lm	35°	100-240V	⌚	12	Complete with 500mA driver
67138E/B/W	Black	Warm white	3000K	6W	440lm	35°	100-240V	⌚	12	Complete with 500mA driver
67138E/G/W	Grey	Warm white	3000K	6W	440lm	35°	100-240V	⌚	12	Complete with 500mA driver



67138F/AN/W



67138E/W/W

Outdoor Wall Cylinders

Down beam




67138F/AN/W

67138F | 6W | COB | Aluminium



IP54




67138F/G/W

67138F | 6W | COB | Aluminium



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67138F/AN/W	Anthracite	Warm white	3000K	6W	440lm	35°	100-240V	⊕	12	Complete with 500mA driver
67138F/G/W	Grey	Warm white	3000K	6W	440lm	35°	100-240V	⊕	12	Complete with 500mA driver




Outdoor Wall Cylinders Up & down beam



67138 | 2x6W | COB | Aluminium




IP54



67138A | 2x6W | COB | Aluminium



IP54




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67138/W/W	White	Warm white	3000K	2x6W	2x440lm	35°	230V	⚡	12	Complete with 500mA driver
67138/AN/W	Anthracite	Warm white	3000K	2x6W	2x440lm	35°	230V	⚡	12	Complete with 500mA driver
67138/B/W	Black	Warm white	3000K	2x6W	2x440lm	35°	230V	⚡	12	Complete with 500mA driver
67138/G/W	Grey	Warm white	3000K	2x6W	2x440lm	35°	230V	⚡	12	Complete with 500mA driver
67138A/AN/W	Anthracite	Warm white	3000K	2x6W	2x440lm	35°	230V	⚡	12	Complete with 500mA driver
67138A/B/W	Black	Warm white	3000K	2x6W	2x440lm	35°	230V	⚡	12	Complete with 500mA driver


Outdoor Wall Cylinders High Power



67138EL | 20W | COB | Aluminium




67138L | 2x20W | COB | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67138EL/AN/C	Anthracite	Cool white	4000K	20W	1400lm	35°	230V		4	AC LED
67138EL/AN/W	Anthracite	Warm white	3000K	20W	1400lm	35°	230V		4	AC LED
67138L/AN/C	Anthracite	Cool white	4000K	2x20W	2x1400lm	35°	230V		2	AC LED
67138L/AN/W	Anthracite	Warm white	3000K	2x20W	2x1400lm	35°	230V		2	AC LED

Indoor/Outdoor Wall Lights


Aluminium



67480A | 6W | COB | Aluminium




IP65



67480B | 2x6W | COB | Aluminium



IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67480A/AN/W	Anthracite	Warm white	3000K	6W	480lm	230V	⌚	8	Complete with 500mA driver
67480B/AN/W	Anthracite	Warm white	3000K	2x6W	960lm	230V	⌚	8	Complete with 500mA driver



67524A/AN/W



67524B/AN/W

The Cube Wall Lights

Aluminium




67524A/AN/W

67524A | 6W | COB | Aluminium



67524A/W/W




67524B/AN/W

67524B | 2x6W | COB | Aluminium



67524B/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67524A/W/W	White	Warm white	3000K	6W	500lm	36°	230V	⊕	12	Complete with 500mA driver
67524A/AN/W	Anthracite	Warm white	3000K	6W	500lm	36°	230V	⊕	12	Complete with 500mA driver
67524B/W/W	White	Warm white	3000K	2x6W	1000lm	36°	230V	⊕	12	Complete with 500mA driver
67524B/AN/W	Anthracite	Warm white	3000K	2x6W	1000lm	36°	230V	⊕	12	Complete with 500mA driver




Wall Adjustable Beams



67440 | 9W | SMD | Adjustable beam | Aluminium




IP54



67440A | 11W | SMD | Adjustable beam | Aluminium



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67440/W/W	White	Warm white	3000K	9W	600lm	230V	⚡	8	Complete with 350mA driver
67440/AN/W	Anthracite	Warm white	3000K	9W	600lm	230V	⚡	8	Complete with 350mA driver
67440A/AN/W	Anthracite	Warm white	3000K	11W	700lm	230V	⚡	8	Complete with 350mA driver

The Glass Face Wall Lights




67076A/W/W




67076/W/W

67076 | 4W | SMD | Glass + metal



67076A/W/W

67076A | 5W | SMD | Glass + metal



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67076/W/W	White	Warm white	3000K	4W	300lm	230V	⌚	12	AC LED
67076A/W/W	White	Warm white	3000K	5W	350lm	230V	⌚	12	AC LED



67374A/W/W



67374/AN/W

Outdoor Wall Up & Down Lights

Aluminium




67374/W/W

67374 | 2x3W | SMD | Aluminium



IP54




67374/AN/W

67374 | 2x3W | SMD | Aluminium



IP54




67374A/W/W

67374A | 2x6W | SMD | Aluminium



IP54




67374A/AN/W

67374A | 2x6W | SMD | Aluminium



IP54





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67374/W/W	White	Warm white	3000K	2x3W	2x210lm	230V	⚡	24	Complete with 350mA driver
67374/AN/W	Anthracite	Warm white	3000K	2x3W	2x210lm	230V	⚡	24	Complete with 350mA driver
67374A/W/W	White	Warm white	3000K	2x6W	2x420lm	230V	⚡	12	Complete with 300mA driver
67374A/AN/W	Anthracite	Warm white	3000K	2x6W	2x420lm	230V	⚡	12	Complete with 300mA driver

Outdoor Wall Lights



67492/AN/V

67492 | 12W | SMD | Plastic + PC


new
IP54

67492P/AN/W

67492P | 12W | SMD | Sensor | Plastic + PC



IP54




65748/B/C

65748 | 12W | SMD | Solar powered | Night sensor + PIR sensor | ABS + PC

4 modes of operation.

Solar
IP54

Mode 1: 100% output for 18 seconds when motion detected.
 Mode 2: Fixed 30 lumen output.
 100% output for 18 seconds when motion detected.
 Mode 3: Fixed 30 lumen output.
 Mode 4: Sleep mode.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67492/AN/V	Anthracite	CCT V	2700K-3300K-4000K	12W	720lm	230V		12	Complete with 300mA driver
67492P/AN/W	Anthracite	Warm white	3000K	12W	600lm	230V		12	Complete with 300mA driver
65748/B/C	Black	Cool white	4000K	12W	1600lm	-	-	20	2x2200mAh lithium battery

Outdoor Wall Up & Down Light




67474A/AN/W

67474A | 10W | LED | Aluminium



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67474A/AN/W	Anthracite	Warm white	3000K	10W	700lm	230V		12	AC LED



67474A/AN/W

Outdoor Wall Up & Down Lights




67362C/AN/W

67362C | 2x4,5W | SMD | Aluminium



IP54




67392/AN/W

67392 | 7W | SMD | ABS + PC



IP65




67392/AN/V

67392 | 7W | SMD | ABS+PC



new

IP65




67392/W/V

67392 | 7W | SMD | ABS+PC



new

IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67362C/AN/W	Anthracite	Warm white	3000K	2x4,5W	2x315lm	230V	⊕	12	Complete with 350mA driver
67392/AN/W	Anthracite	Warm white	3000K	7W	400lm	230V	⊕	20	Complete with 500mA driver
67392/W/V	White	CCT V	2700K-3300K-4000K	7W	490lm	230V	⊕	20	Complete with 500mA driver
67392/AN/V	Anthracite	CCT V	2700K-3300K-4000K	7W	490lm	230V	⊕	20	Complete with 500mA driver

Linear Outdoor Series

Single Sided



67526A1/W/W




67526A1/AN/W




67526A1/W/W

67526A1 | 8W | SMD | Aluminium




67526A1/AN/W




67526A2/W/W

67526A2 | 9W | SMD | Aluminium



67526A2/AN/W




67526A3/W/W

67526A3 | 13W | SMD | Aluminium



67526A3/AN/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67526A1/W/W	White	Warm white	3000K	8W	480lm	230V	⌚	12	Complete with 350mA driver
67526A1/AN/W	Anthracite	Warm white	3000K	8W	480lm	230V	⌚	12	Complete with 350mA driver
67526A2/W/W	White	Warm white	3000K	9W	540lm	230V	⌚	6	Complete with 500mA driver
67526A2/AN/W	Anthracite	Warm white	3000K	9W	540lm	230V	⌚	6	Complete with 500mA driver
67526A3/W/W	White	Warm white	3000K	13W	780lm	230V	⌚	4	Complete with 700mA driver
67526A3/AN/W	Anthracite	Warm white	3000K	13W	780lm	230V	⌚	4	Complete with 700mA driver

Linear Outdoor Series


Double Sided



67526B1/W/W



67526B1/AN/W




67526B1 | 2x6W | SMD | Aluminium



67526B2/W/W



67526B2/AN/W




67526B2 | 2x10W | SMD | Aluminium



67526B3/W/W



67526B3/AN/W



67526B3 | 2x13W | SMD | Aluminium

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67526B1/W/W	White	Warm white	3000K	2x6W	2x360lm	230V	⌚	12	Complete with 300mA driver
67526B1/AN/W	Anthracite	Warm white	3000K	2x6W	2x360lm	230V	⌚	12	Complete with 300mA driver
67526B2/W/W	White	Warm white	3000K	2x10W	2x600lm	230V	⌚	6	Complete with 500mA driver
67526B2/AN/W	Anthracite	Warm white	3000K	2x10W	2x600lm	230V	⌚	6	Complete with 500mA driver
67526B3/W/W	White	Warm white	3000K	2x13W	2x780lm	230V	⌚	4	Complete with 700mA driver
67526B3/AN/W	Anthracite	Warm white	3000K	2x13W	2x780lm	230V	⌚	4	Complete with 700mA driver

Outdoor General Lighting


ABS + PC



67394 | 3,5W | SMD | ABS+PC




new
IP65



67394 | 3,5W | SMD | ABS+PC



new
IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67394/W/V	White	CCT V	2700K-3300K-4000K	3,5W	280lm	230V		24	AC LED
67394/AN/V	Anthracite	CCT V	2700K-3300K-4000K	3,5W	280lm	230V		24	AC LED



Indoor/Outdoor Wall Lights ABS + PC



67472A | 6W | SMD | ABS + PC




80 CRI CCT V CE

new

IP65

2 YEAR



67472 | 2x6W | SMD | ABS + PC




80 CRI CCT V CE

new

IP65

2 YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67472A/AN/V	Anthracite	CCT V	2700K-3300K-4000K	6W	500lm	230V		20	Complete with 300mA driver
67472/AN/V	Anthracite	CCT V	2700K-3300K-4000K	2x6W	2x500lm	230V		20	Complete with 300mA driver

Outdoor Slim Oval Range

Up & down beam





67378A | 2x6W | SMD | Aluminium



80 CRI CE 2 YEAR

IP54




67378A | 2x6W | SMD | Aluminium



80 CRI CE 2 YEAR

IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67378A/W/W	White	Warm white	3000K	2x6W	2x420lm	230V	⊕	12	Complete with 300mA driver
67378A/AN/W	Anthracite	Warm white	3000K	2x6W	2x420lm	230V	⊕	12	Complete with 300mA driver



67378A/AN/W



67376A/W/W

Outdoor Slim Range

Up & down beam



67376/AN/W


67376 | 2x3W | SMD | Aluminium



IP54



67376/W/W



67376A/AN/W


67376A | 2x6W | SMD | Aluminium



IP54



67376A/W/W



67412/AN/W


67412 | 2x6W | COB | Adjustable beam | Aluminium



IP54



67412/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67376/W/W	White	Warm white	3000K	2x3W	2x210lm	230V	⊕	24	Complete with 350mA driver
67376/AN/W	Anthracite	Warm white	3000K	2x3W	2x210lm	230V	⊕	24	Complete with 350mA driver
67376A/W/W	White	Warm white	3000K	2x6W	2x420lm	230V	⊕	12	Complete with 300mA driver
67376A/AN/W	Anthracite	Warm white	3000K	2x6W	2x420lm	230V	⊕	12	Complete with 300mA driver
67412/W/W	White	Warm white	3000K	2x6W	2x400lm	230V	⊕	12	Complete with 500mA driver
67412/AN/W	Anthracite	Warm white	3000K	2x6W	2x400lm	230V	⊕	12	Complete with 500mA driver

Adjustable Beams

Indoor/Outdoor



67340A/AN/W



67340A/W/W




67340A/W/W

67340A | 2x3W | LED | Adjustable beam | Aluminium



IP54




67340A/AN/W

67340A | 2x3W | LED | Adjustable beam | Aluminium




IP54




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67340A/W/W	White	Warm white	3000K	2x3W	2x210lm	230V	⌚	8	Complete with 700mA driver
67340A/AN/W	Anthracite	Warm white	3000K	2x3W	2x210lm	230V	⌚	8	Complete with 700mA driver


Outdoor Wall Dark Lights Aluminium




67398 | 3W | COB | Aluminium



67398A | 2x3W | LED | Aluminium




67398C | 2x3W | LED | Aluminium






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67398/W/W	White	Warm white	3000K	3W	200lm	100-240V	⚡	24	Complete with 350mA driver
67398/AN/W	Anthracite	Warm white	3000K	3W	200lm	100-240V	⚡	24	Complete with 350mA driver
67398A/W/W	White	Warm white	3000K	2x3W	2x200lm	100-240V	⚡	12	Complete with 350mA driver
67398A/AN/W	Anthracite	Warm white	3000K	2x3W	2x200lm	100-240V	⚡	12	Complete with 350mA driver
67398A/B/W	Black	Warm white	3000K	2x3W	2x200lm	100-240V	⚡	12	Complete with 350mA driver
67398C/W/W	White	Warm white	3000K	2x3W	2x200lm	100-240V	⚡	18	Complete with 350mA driver
67398C/AN/W	Anthracite	Warm white	3000K	2x3W	2x200lm	100-240V	⚡	18	Complete with 350mA driver
67398C/B/W	Black	Warm white	3000K	2x3W	2x200lm	100-240V	⚡	18	Complete with 350mA driver



The Backlight Range





67450 | 7W | SMD | ABS + PC



67532 | 15W | SMD | Dimmable | Aluminium + PC



67450A | 7W | SMD | ABS + PC



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67450/W/W	White	Warm white	3000K	7W	600lm	230V		24	Complete with 300mA driver
67450/AN/W	Anthracite	Warm white	3000K	7W	600lm	230V		24	Complete with 300mA driver
67532/W/W	White	Warm white	3000K	15W	1100lm	230V		12	Complete with 190mA dimmable driver
67532/B/W	Black	Warm white	3000K	15W	1100lm	230V		12	Complete with 190mA dimmable driver
67450A/W/W	White	Warm white	3000K	7W	600lm	230V		24	Complete with 300mA driver
67450A/AN/W	Anthracite	Warm white	3000K	7W	600lm	230V		24	Complete with 300mA driver

The Roof Tile Range



67422/W/W


67422 | 6W | COB | Aluminium



IP54



67422/AN/W



67422A/W/W


67422A | 2x6W | COB | Aluminium



IP54




67422A/AN/W



67512/W/V


67512 | 8W | SMD | ABS + PC

new
IP65

new



67512/AN/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67422/W/W	White	Warm white	3000K	6W	400lm	230V	⌚	24	Complete with 500mA driver
67422/AN/W	Anthracite	Warm white	3000K	6W	400lm	230V	⌚	24	Complete with 500mA driver
67422A/W/W	White	Warm white	3000K	2x6W	2x400lm	230V	⌚	12	Complete with 500mA driver
67422A/AN/W	Anthracite	Warm white	3000K	2x6W	2x400lm	230V	⌚	12	Complete with 500mA driver
67512/W/V	White	CCT V	2700K-3300K-4000K	8W	400lm	230V	□	20	Complete with 350mA driver
67512/AN/V	Anthracite	CCT V	2700K-3300K-4000K	8W	400lm	230V	□	20	Complete with 350mA driver

Down Illumination Wall Lights

ABS + PC

67386A | 1,5W | SMD | ABS + PC




67386A/W/V



new



67386A/AN/V



67386C | 4W | SMD | ABS + PC




67386C/W/V



new



67386C/AN/V




67396 | 6W | SMD | ABS + PC




67396/W/V



new



67396/AN/V




67396A | 6W | SMD | Sensor | ABS + PC



67396A/AN/V



new



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67386A/W/V	White	CCT V	2700K-3300K-4000K	1,5W	80lm	230V	□	40	AC LED
67386A/AN/V	Anthracite	CCT V	2700K-3300K-4000K	1,5W	80lm	230V	□	40	AC LED
67386C/W/V	White	CCT V	2700K-3300K-4000K	4W	220lm	230V	□	20	AC LED
67386C/AN/V	Anthracite	CCT V	2700K-3300K-4000K	4W	220lm	230V	□	20	AC LED
67396/W/V	White	CCT V	2700K-3300K-4000K	6W	420lm	230V	□	20	AC LED
67396/AN/V	Anthracite	CCT V	2700K-3300K-4000K	6W	420lm	230V	□	20	AC LED
67396A/AN/V	Anthracite	CCT V	2700K-3300K-4000K	6W	420lm	230V	□	20	AC LED


Outdoor Dark Lights

ABS + PC




67388B/W/V

67388B | 2W | SMD | ABS + PC

2
YEAR

67388B/W/W


67388B | 2W | SMD | ABS+PC

2
YEAR

67388B/W/V

67388B/AN/V

67388C | 2W | SMD | ABS+PC

2
YEAR

67388C/W/V

67388C/AN/V

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67388B/W/W	White	Warm white	3000K	2W	60lm	230V		40	AC LED
67388B/W/V	White	CCT V	2700K-3300K-4000K	2W	60lm	230V		40	AC LED
67388B/AN/V	Anthracite	CCT V	2700K-3300K-4000K	2W	60lm	230V		40	AC LED
67388C/W/V	White	CCT V	2700K-3300K-4000K	2W	75lm	230V		24	AC LED
67388C/AN/V	Anthracite	CCT V	2700K-3300K-4000K	2W	75lm	230V		24	AC LED

Outdoor Dark Lights



67418/W/V




67414/AN/V




67414/AN/V

67414 | 3W | SMD | ABS + PC



67414/W/V




67417/AN/V

67417 | 1,5W | SMD | ABS + PC



67417/W/V




67418/AN/V

67418 | 3W | SMD | ABS + PC




67418/W/V



67430A/AN/V

67430A | 8W | SMD | ABS + PC



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67414/W/V	White	CCT V	2700K-3300K-4000K	3W	100lm	230V		40	AC LED
67414/AN/V	Anthracite	CCT V	2700K-3300K-4000K	3W	100lm	230V		40	AC LED
67417/W/V	White	CCT V	2700K-3300K-4000K	1,5W	60lm	230V		20	AC LED
67417/AN/V	Anthracite	CCT V	2700K-3300K-4000K	1,5W	60lm	230V		20	AC LED
67418/W/V	White	CCT V	2700K-3300K-4000K	3W	100lm	230V		40	AC LED
67418/AN/V	Anthracite	CCT V	2700K-3300K-4000K	3W	100lm	230V		40	AC LED
67430A/W/W	White	Warm white	3000K	8W	350lm	230V		20	Complete with 300mA driver
67430A/AN/V	Anthracite	CCT V	2700K-3300K-4000K	8W	400lm	230V		20	Complete with 300mA driver

Round Indoor/Outdoor Wall Dark Lights

Aluminium




67359/AN/W

67359 | 3W | SMD | Aluminium



80 CRI 2 YEAR



67359/AN/V


67359 | 3W | SMD | Aluminium



80 CRI CCT V 2 YEAR



67359/W/V




67360/W/W

67360 | 9W | SMD | Aluminium



80 CRI 2 YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67359/AN/W	Anthracite	Warm white	3000K	3W	200lm	100-240V	⌚	30	Complete with 350mA driver
67359/W/V	White	CCT V	2200K-2700K-3000K-4000K	3W	200lm	230V	⌚	32	Complete with 350mA driver
67359/AN/V	Anthracite	CCT V	2200K-2700K-3000K-4000K	3W	200lm	230V	⌚	32	Complete with 350mA driver
67360/W/W	White	Warm white	3000K	9W	350lm	230V	⌚	12	Complete with 700mA driver



67360A/AN/W



67360A/W/W

Square Wall Dark Lights

Aluminium




67359C/AN/V

67359C | 3W | SMD | Aluminium



67359C/W/V




67359A/AN/V

67359A | 3W | SMD | Aluminium



67359A/W/V




67360A/AN/W

67360A | 9W | SMD | Aluminium



67360A/W/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67359C/W/V	White	CCT V	2200K-2700K-3000K-4000K	3W	200lm	230V	⊕	12	Complete with 350mA driver
67359C/AN/V	Anthracite	CCT V	2200K-2700K-3000K-4000K	3W	200lm	230V	⊕	12	Complete with 350mA driver
67359A/W/V	White	CCT V	2200K-2700K-3000K-4000K	3W	200lm	230V	⊕	30	Complete with 350mA driver
67359A/AN/V	Anthracite	CCT V	2200K-2700K-3000K-4000K	3W	200lm	230V	⊕	30	Complete with 350mA driver
67360A/W/W	White	Warm white	3000K	9W	450lm	230V	⊕	12	Complete with 700mA driver
67360A/AN/W	Anthracite	Warm white	3000K	9W	450lm	230V	⊕	12	Complete with 700mA driver


Square Wall Dark Lights Aluminium



67359B | 7W | SMD | Aluminium



67359B | 6W | SMD | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67359B/W/W	White	Warm white	3000K	7W	400lm	230V	⊕	24	Complete with 350mA driver
67359B/AN/W	Anthracite	Warm white	3000K	7W	400lm	230V	⊕	24	Complete with 350mA driver
67359B/AN/V	Anthracite	CCT V	2200K-2700K-3000K-4000K	6W	400lm	230V	⊕	24	Complete with 300mA driver

Outdoor Wall Bricks




67176/G/W

67176 | 3W | LED | Aluminium

LED
BUILT IN80
CRI2
YEAR

IP54



67502B/W/W


67502B | 6W | SMD | ABS + PC

LED
BUILT IN80
CRI2
YEARDARK
LIGHT

IP65



Removable front part.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67176/G/W	Grey	Warm white	3000K	3W	-	230V		12	Complete with driver
67502B/W/W	White	Warm white	3000K	6W	110lm	230V		20	AC LED

The Classic Outdoor Range

Aluminium



67442B/B/W



67444C/B/W



67444C/B/W


67444C | 10W | SMD | Aluminium



80
CRI

CE 2
YEAR

IP54



67442B/B/W


67442B | 10W | SMD | Aluminium



80
CRI

CE 2
YEAR

IP54



67442/W/W


67442 | 10W | SMD | Aluminium



80
CRI

CE 2
YEAR

IP54



67442/B/W


67442 | 10W | SMD | Aluminium



80
CRI

CE 2
YEAR

IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67444C/B/W	Black	Warm white	3000K	10W	600lm	230V	⌚	12	AC LED
67442B/B/W	Black	Warm white	3000K	10W	600lm	230V	⌚	12	AC LED
67442/W/W	White	Warm white	3000K	10W	600lm	230V	⌚	12	AC LED
67442/B/W	Black	Warm white	3000K	10W	600lm	230V	⌚	12	AC LED

Indoor/Outdoor Light Points




67484/W/W


67484 | 6W | LED | Dimmable | Aluminium



IP65



67484/B/W



67478/W/W


67478 | 12W | SMD | Aluminium + PC



DARK LIGHT
IP65



67478/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67484/W/W	White	Warm white	3000K	6W	480lm	230V	⌚	12	AC LED
67484/B/W	Black	Warm white	3000K	6W	480lm	230V	⌚	12	AC LED
67478/W/W	White	Warm white	3000K	12W	325lm	230V	⌚	6	Complete with 300mA driver
67478/B/W	Black	Warm white	3000K	12W	325lm	230V	⌚	6	Complete with 300mA driver



Window Frame Illumination




67454 | 6W | LED | Aluminium

Window frame illumination.



CE 2 YEAR

IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
67454/AN/W	Anthracite	Warm white	3000K	6W	330lm	270°	100-240V	⏻	18	Complete with 500mA driver