





The LED Opal Plafo Range

CCT V



62026C/V




62026A/V

62026A | 15W | SMD | Metal + PMMA



new

IP20




62026B/V

62026B | 24W | SMD | Metal + PMMA




new

IP20




62026C/V

62026C | 30W | SMD | Metal + PMMA



new

IP20



62026D/V

62026D | 50W | SMD | Metal + PMMA



new

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62026A/V	White	CCT V	3000K-4000K-5000K	15W	1200lm	230V	⊕	5	Complete with driver
62026B/V	White	CCT V	3000K-4000K-5000K	24W	1920lm	230V	⊕	5	Complete with driver
62026C/V	White	CCT V	3000K-4000K-5000K	30W	2400lm	230V	⊕	5	Complete with driver
62026D/V	White	CCT V	3000K-4000K-5000K	50W	4000lm	230V	⊕	5	Complete with driver

The LED Opal Plafo Range


62026C/W



62026B/W




62026B | 24W | SMD | Metal + PMMA



IP20

62026C | 30W | SMD | Metal + PMMA



IP20

62026D | 50W | SMD | Metal + PMMA



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62026B/W	White	Warm white	3000K	24W	1700lm	230V	⊙	5	Complete with driver
62026C/W	White	Warm white	3000K	30W	2150lm	230V	⊙	5	Complete with driver
62026D/W/C	White	Cool white	4000K	50W	3750lm	230V	⊙	5	Complete with driver
62026D/W/W	White	Warm white	3000K	50W	3750lm	230V	⊙	5	Complete with driver

The Super Slim Range

CCT V

62006 | 18W | SMD | ABS Body




IP20

62006/W/V



62006/B/V



62006A | 24W | SMD | ABS Body




IP20

62006A/W/V



62006A/B/V



62006B | 32W | SMD | ABS Body




IP20

62006B/W/V



62006B/B/V



62006BD | 32W | SMD | Dimmable | ABS Body




new

IP20

62006BD/W/V




62006BD/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62006/W/V	White	CCT V	2700K-3200K-4000K	18W	1620lm	230V		10	Complete with driver
62006/B/V	Black	CCT V	2700K-3200K-4000K	18W	1620lm	230V		10	Complete with driver
62006A/W/V	White	CCT V	2700K-3200K-4000K	24W	2160lm	230V		10	Complete with driver
62006A/B/V	Black	CCT V	2700K-3200K-4000K	24W	2160lm	230V		10	Complete with driver
62006B/W/V	White	CCT V	2700K-3200K-4000K	32W	2880lm	230V		10	Complete with driver
62006B/B/V	Black	CCT V	2700K-3200K-4000K	32W	2880lm	230V		10	Complete with driver
62006BD/W/V	White	CCT V	2700K-3200K-4000K	32W	2880lm	230V		10	Complete with dimmable driver
62006BD/B/V	Black	CCT V	2700K-3200K-4000K	32W	2880lm	230V		10	Complete with dimmable driver


The Super Slim Range CCT V



62006C | 40W | SMD | ABS Body



IP20




62006CD | 40W | SMD | Dimmable | ABS Body



new


IP20



62006D | 50W | SMD | ABS Body



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
62006C/W/V	White	CCT V	2700K-3200K-4000K	40W	3600lm	230V	□	8	Complete with driver
62006C/B/V	Black	CCT V	2700K-3200K-4000K	40W	3600lm	230V	□	8	Complete with driver
62006CD/W/V	White	CCT V	2700K-3200K-4000K	40W	3600lm	230V	□	8	Complete with dimmable driver
62006CD/B/V	Black	CCT V	2700K-3200K-4000K	40W	3600lm	230V	□	8	Complete with dimmable driver
62006D/W/V	White	CCT V	2700K-3200K-4000K	50W	4500lm	230V	□	4	Complete with driver
62006D/B/V	Black	CCT V	2700K-3200K-4000K	50W	4500lm	230V	□	4	Complete with driver

The Super Slim UGR19 Range

Round CCT V

 62020AU/W/V	       new  IP20 62020AU 12W SMD ABS	       new  62020AU/B/V 62020AU 12W SMD ABS	       new  62020AU/B/V 62020AU 12W SMD ABS	       new  62020AU/B/V 62020AU 12W SMD ABS	       new  62020AU/B/V 62020AU 12W SMD ABS	       new  62020AU/B/V 62020AU 12W SMD ABS																														
<div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> |
<div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> |
<div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> |
<div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> |
<div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B/V</div></div></div></div></div></div><p>62020AU 12W SMD ABS</p></div></div> | <div><div><div><div><div></div><div></div><div></div><div></div></div><div></div><div></div></div><div><div><div><div><div></div><div>new</div></div><div><div><div></div><div>62020AU/B</div></div></div></div></div></div></div></div> |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

The Super Slim UGR19 Range

Round CCT V



62020CU/B/V

62020AU/W/V



62020DU/W/V

62020DU | 32W | SMD | ABS

Prismatic diffuser.



new

IP20


new



62020DU/B/V



Suspension base.
Order code 050138A/W,
050138A/B.



62020EU/W/V

62020EU | 40W | SMD | ABS

Prismatic diffuser.



new

IP20


new



62020EU/B/V



Suspension base.
Order code 050138A/W,
050138A/B.



62020FU/W/V

62020FU | 50W | SMD | ABS

Prismatic diffuser.



new

IP20


new



62020FU/B/V



Suspension base.
Order code 050138A/W,
050138A/B.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020DU/W/V	White	CCT V	2800K-3300K-4000K	32W	2720lm	230V	□	10	Complete with driver
62020DU/B/V	Black	CCT V	2800K-3300K-4000K	32W	2720lm	230V	□	10	Complete with driver
62020EU/W/V	White	CCT V	2800K-3300K-4000K	40W	3400lm	230V	□	5	Complete with driver
62020EU/B/V	Black	CCT V	2800K-3300K-4000K	40W	3400lm	230V	□	5	Complete with driver
62020FU/W/V	White	CCT V	2800K-3300K-4000K	50W	4250lm	230V	□	5	Complete with driver
62020FU/B/V	Black	CCT V	2800K-3300K-4000K	50W	4250lm	230V	□	5	Complete with driver

The Super Slim UGR19 Range

Square CCT V

62020JU/W/V



62020HU/W/V

62020HU | 18W | SMD | ABS


Prismatic diffuser.




new



62020HU/B/V



Suspension base.
Order code 050138B/W,
050138B/B.



62020JU/W/V

62020JU | 24W | SMD | ABS


Prismatic diffuser.




new



62020JU/B/V



Suspension base.
Order code 050138B/W,
050138B/B.



62020KU/W/V

62020KU | 32W | SMD | ABS


Prismatic diffuser.




new



62020KU/B/V




Suspension base.
Order code 050138B/W,
050138B/B.



62020LU/W/V

62020LU | 40W | SMD | ABS


Prismatic diffuser.




new



62020LU/B/V



Suspension base.
Order code 050138B/W,
050138B/B.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020HU/W/V	White	CCT V	2800K-3300K-4000K	18W	1440lm	230V		10	Complete with driver
62020HU/B/V	Black	CCT V	2800K-3300K-4000K	18W	1440lm	230V		10	Complete with driver
62020JU/W/V	White	CCT V	2800K-3300K-4000K	24W	1920lm	230V		10	Complete with driver
62020JU/B/V	Black	CCT V	2800K-3300K-4000K	24W	1920lm	230V		10	Complete with driver
62020KU/W/V	White	CCT V	2800K-3300K-4000K	32W	2560lm	230V		10	Complete with driver
62020KU/B/V	Black	CCT V	2800K-3300K-4000K	32W	2560lm	230V		10	Complete with driver
62020LU/W/V	White	CCT V	2800K-3300K-4000K	40W	3200lm	230V		5	Complete with driver
62020LU/B/V	Black	CCT V	2800K-3300K-4000K	40W	3200lm	230V		5	Complete with driver




The Super Slim UGR19 Range

Rectangular CCT V





62020MU | 50W | SMD | ABS

Prismatic diffuser.



62020PU | 60W | SMD | ABS

Prismatic diffuser.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020MU/W/V	White	CCT V	2800K-3300K-4000K	50W	3750lm	230V		5	Complete with driver
62020MU/B/V	Black	CCT V	2800K-3300K-4000K	50W	3750lm	230V		5	Complete with driver
62020PU/W/V	White	CCT V	2800K-3300K-4000K	60W	4200lm	230V		4	Complete with driver
62020PU/B/V	Black	CCT V	2800K-3300K-4000K	60W	4200lm	230V		4	Complete with driver



62030F/W/W



62018AF/W/W

The Ultra Slim LED Panel Plafo




62018AF/W/W

62018AF | 18W | SMD | Aluminium + PC



IP40




62030F/W/W

62030F | 30W | SMD | Aluminium + PC



IP40




62038F/W/W


62038F | 38W | SMD | Aluminium + PC



IP40



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62018AF/W/W	White	Warm white	3000K	18W	1400lm	230V	⌚	20	Complete with driver
62030F/W/W	White	Warm white	3000K	30W	2300lm	230V	⌚	10	Complete with driver
62038F/W/W	White	Warm white	3000K	38W	2900lm	230V	⌚	5	Complete with driver




The Ring Plafo



67402 | 25W | SMD | Aluminium + PC




IP40



67402 | 25W | SMD | Aluminium + PC



IP40



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67402/W/W	White	Warm white	3000K	25W	1850lm	100-240V	⊕	10	Complete with driver
67402/B/W	Black	Warm white	3000K	25W	1850lm	100-240V	⊕	10	Complete with driver



62115F/W/V



62130F/B/V

The LED Panel Plafo Round



62115F/W/V

62115F | 15W | SMD | Aluminium



new
IP40

new



62115F/B/V



62130F/W/V

62130F | 30W | SMD | Aluminium



new
IP40

new



62130F/B/V




62140F/W/V

62140F | 40W | SMD | Aluminium



new
IP40



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62115F/W/V	White	CCT V	2700K-3000K-4000K	15W	1350lm	230V		10	Complete with 350mA driver
62115F/B/V	Black	CCT V	2700K-3000K-4000K	15W	1350lm	230V		10	Complete with 350mA driver
62130F/W/V	White	CCT V	2700K-3000K-4000K	30W	2700lm	230V		10	Complete with 700mA driver
62130F/B/V	Black	CCT V	2700K-3000K-4000K	30W	2700lm	230V		10	Complete with 700mA driver
62140F/W/V	White	CCT V	2700K-3000K-4000K	40W	3700lm	230V		5	Complete with 1000mA driver

The LED Panel Plafo Square

62130AF/W/W

62122F/W/V



62122F/W/W


62122F | 22W | SMD | Aluminium



IP40



62122F/B/W




62122F/W/V

62122F | 22W | SMD | Aluminium



new

IP40




62130AF/W/W

62130AF | 30W | SMD | Aluminium



IP40




62130AF/W/V

62130AF | 30W | SMD | Aluminium



new

IP40



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62122F/W/W	White	Warm white	3000K	22W	1870lm	230V		10	Complete with 700mA driver
62122F/B/W	Black	Warm white	3000K	22W	1870lm	230V		10	Complete with 700mA driver
62122F/W/V	White	CCT V	2700K-3000K-4000K	22W	2000lm	230V		10	Complete with 500mA driver
62130AF/W/W	White	Warm white	3000K	30W	2550lm	230V		10	Complete with 700mA driver
62130AF/W/V	White	CCT V	2700K-3000K-4000K	30W	2700lm	230V		10	Complete with 700mA driver

The LED Slim Line Plafo



62146 | 55W | SMD | Metal + PS




IP20



62146A | 50W | SMD | Metal + PS



IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62146/B/W	Black	Warm white	3000K	55W	4100lm	230V	⌚	1	Complete with 600mA driver
62146A/B/W	Black	Warm white	3000K	50W	3800lm	230V	⌚	1	Complete with 480mA driver

The LED Slim Line Plafo




62160/W/W

62160 | 62W | SMD | Metal



IP20



62160A/B/W

62160A | 62W | SMD | Aluminium



IP20



62160A/W/W

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62160/W/W	White	Warm white	3000K	62W	3600lm	120°	230V	⊕	1	Complete with 1500mA driver
62160A/W/W	White	Warm white	3000K	62W	3600lm	120°	230V	⊕	1	Complete with 1500mA driver
62160A/B/W	Black	Warm white	3000K	62W	3600lm	120°	230V	⊕	1	Complete with 1500mA driver

The Floating Plafo Aluminium



62160FB | 60W | SMD | Aluminium



62160FB/W/W

IP20

62160FB | 60W | SMD | Aluminium



62160FB/B/C

IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62160FB/W/C	White	Cool white	4000K	60W	5300lm	230V	⊕	3	Complete with 1500mA driver
62160FB/W/W	White	Warm white	3000K	60W	5300lm	230V	⊕	3	Complete with 1500mA driver
62160FB/B/C	Black	Cool white	4000K	60W	5300lm	230V	⊕	3	Complete with 1500mA driver

The Floating Backlit Plafo

CCT V



62002C/B/V

62002A | 22W+3W | SMD | ABS + PC



62002A/W/V



new

IP20


new



62002A/B/V



Backlit.



62002B | 30W+3W | SMD | ABS + PC

TRIAC dimmable version 62002BD.



62002B/W/V



new

IP20


new



62002B/B/V



Backlit.



62002C | 38W+4W | SMD | ABS + PC

TRIAC dimmable version 62002CD.



62002C/W/V



new

IP20


new



62002C/B/V



Backlit.



62002D | 45W+5W | SMD | ABS + PC



62002D/W/V



new

IP20


new



62002D/B/V



Backlit.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62002A/W/V	White	CCT V	2700K-3200K-4000K	22W+3W	2400lm	230V		10	Complete with driver
62002A/B/V	Black	CCT V	2700K-3200K-4000K	22W+3W	2400lm	230V		10	Complete with driver
62002B/W/V	White	CCT V	2700K-3200K-4000K	30W+3W	2880lm	230V		10	Complete with driver
62002B/B/V	Black	CCT V	2700K-3200K-4000K	30W+3W	2880lm	230V		10	Complete with driver
62002BD/W/V	White	CCT V	2700K-3200K-4000K	30W+3W	2880lm	230V		10	Complete with dimmable driver
62002BD/B/V	Black	CCT V	2700K-3200K-4000K	30W+3W	2880lm	230V		10	Complete with dimmable driver
62002C/W/V	White	CCT V	2700K-3200K-4000K	38W+4W	3400lm	230V		8	Complete with driver
62002C/B/V	Black	CCT V	2700K-3200K-4000K	38W+4W	3400lm	230V		8	Complete with driver
62002CD/W/V	White	CCT V	2700K-3200K-4000K	38W+4W	3400lm	230V		8	Complete with dimmable driver
62002CD/B/V	Black	CCT V	2700K-3200K-4000K	38W+4W	3400lm	230V		8	Complete with dimmable driver
62002D/W/V	White	CCT V	2700K-3200K-4000K	45W+5W	4500lm	230V		4	Complete with driver
62002D/B/V	Black	CCT V	2700K-3200K-4000K	45W+5W	4500lm	230V		4	Complete with driver



The LED Plafo Range

62024C | 26W | SMD | Metal + plastic




62024C/W



LED
BUILT IN

CE 2
YEAR



IP20

62154 | 24W | SMD | Metal + Plastic



62154/W/W



LED
BUILT IN

80
CRI CE 2
YEAR



62154/B/W



IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62024C/W	White	Warm white	3000K	26W	1600lm	230V	⊕	5	Complete with 700mA driver
62154/W/W	White	Warm white	3000K	24W	1560lm	230V	⊕	10	Complete with 200mA driver
62154/B/W	Black	Warm white	3000K	24W	1560lm	230V	⊕	10	Complete with 200mA driver

The LED Project Plafo



62150D/W/C



62125D/W/V



62118D/W/W

62118D | 20W | SMD | Metal



IP20




62125D/W/C

62125D | 25W | SMD | Metal



IP20




62125D/W/V

62125D | 25W | SMD | Metal



new

IP20



62150D/W/W

62150D | 50W | SMD | Metal



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62118D/W/W	White	Warm white	3000K	20W	1700lm	120°	230V		1	Complete with 500mA driver
62125D/W/C	White	Cool white	4000K	25W	2125lm	120°	230V		1	Complete with 700mA driver
62125D/W/V	White	CCT V	2700K-3000K-4000K	25W	2125lm	120°	230V		1	Complete with 700mA driver
62150D/W/C	White	Cool white	4000K	50W	4250lm	120°	230V		1	Complete with 1400mA driver
62150D/W/W	White	Warm white	3000K	50W	4250lm	120°	230V		1	Complete with 1400mA driver

The LED Decorative Plafo Round CCT V



62130N/W/V


62130N | 20W | SMD | Aluminium



IP20



62130N/AN/V



62132N/W/V


62132N | 32W | SMD | Aluminium



IP20




62132N/AN/V



62142N/W/V

62142N | 42W | SMD | Dimmable | Aluminium




IP20

new



62142N/AN/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62130N/W/V	White	CCT V	2700K-3000K-4000K	20W	1700lm	120°	230V	⚡	1	Complete with 500mA driver
62130N/AN/V	Anthracite	CCT V	2700K-3000K-4000K	20W	1700lm	120°	230V	⚡	1	Complete with 500mA driver
62132N/W/V	White	CCT V	2700K-3000K-4000K	32W	2720lm	120°	230V	⚡	1	Complete with 800mA driver
62132N/AN/V	Anthracite	CCT V	2700K-3000K-4000K	32W	2720lm	120°	230V	⚡	1	Complete with 800mA driver
62142N/W/V	White	CCT V	2700K-3000K-4000K	42W	3570lm	120°	230V	⚡	1	Complete with 1050mA dimmable driver
62142N/AN/V	Anthracite	CCT V	2700K-3000K-4000K	42W	3570lm	120°	230V	⚡	1	Complete with 1050mA dimmable driver



62142N/AN/W



62132N/BBSW

The LED Decorative Plafo Round



62132N/BBS/W

62132N | 32W | SMD | Aluminium




IP20



62132N/MG/W

62132N | 32W | SMD | Aluminium



IP20



62142N/AN/W

62142N | 42W | SMD | Aluminium




IP20


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
62132N/BBS/W	Brushed brass	Warm white	3000K	32W	2720lm	120°	230V	⚡	1	Complete with 800mA driver
62132N/MG/W	Metal grey	Warm white	3000K	32W	2720lm	120°	230V	⚡	1	Complete with 800mA driver
62142N/AN/W	Anthracite	Warm white	3000K	42W	3570lm	120°	230V	⚡	1	Complete with 1050mA driver

The LED Decorative Plafo CCT V

62134N | 30W | SMD | Dimmable | Aluminium




IP20



62134N | 30W | SMD | Dimmable | Aluminium




IP20



62134N | 30W | SMD | Dimmable | Aluminium




IP20



62134N | 30W | SMD | Dimmable | Aluminium



IP20



62134N/W/V



62134N/B/V



62134N/BBS/V



62134N/BGL/V

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62134N/W/V	White	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V		1	Complete with 700mA dimmable driver
62134N/B/V	Black	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V		1	Complete with 700mA dimmable driver
62134N/BBS/V	Brushed brass	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V		1	Complete with 700mA dimmable driver
62134N/BGL/V	Brushed gold	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V		1	Complete with 700mA dimmable driver

The LED Decorative Plafo




62144N/B/V




62144N/BGL/W

62144N | 50W | SMD | Dimmable | Aluminium




new
IP20



62144N | 50W | SMD | Dimmable | Aluminium




new
IP20



62144N | 50W | SMD | Aluminium




IP20



62144N | 50W | SMD | Aluminium



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62144N/W/V	White	CCT V	2700K-3000K-4000K	50W	4250lm	120°	230V	⊕	1	Complete with 1200mA dimmable driver
62144N/B/V	Black	CCT V	2700K-3000K-4000K	50W	4250lm	120°	230V	⊕	1	Complete with 1200mA dimmable driver
62144N/BBS/W	Brushed brass	Warm white	3000K	50W	4250lm	120°	230V	⊕	1	Complete with 1200mA driver
62144N/BGL/W	Brushed gold	Warm white	3000K	50W	4250lm	120°	230V	⊕	1	Complete with 1200mA driver

The LED Decorative Plafo

CCT V



62130L/B/V



62130L/BGL/V




62130L/W/V

62130L | 30W | SMD | Dimmable | Aluminium



IP20




62130L/B/V

62130L | 30W | SMD | Dimmable | Aluminium



IP20




62130L/BBS/V

62130L | 30W | SMD | Dimmable | Aluminium



IP20




62130L/BGL/V

62130L | 30W | SMD | Dimmable | Aluminium



IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62130L/W/V	White	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V	⊕	1	Complete with 700mA dimmable driver
62130L/B/V	Black	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V	⊕	1	Complete with 700mA dimmable driver
62130L/BBS/V	Brushed brass	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V	⊕	1	Complete with 700mA dimmable driver
62130L/BGL/V	Brushed gold	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V	⊕	1	Complete with 700mA dimmable driver

The LED Decorative Plafo



62148L/W/V

62148L | 48W | SMD | Dimmable | Aluminium




IP20



62148L/B/V

62148L | 48W | SMD | Dimmable | Aluminium



IP20



62148L/BGL/W

62148L | 48W | SMD | Aluminium



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
62148L/W/V	White	CCT V	2700K-3000K-4000K	48W	4080lm	120°	230V	⌚	1	Complete with 1200mA dimmable driver
62148L/B/V	Black	CCT V	2700K-3000K-4000K	48W	4080lm	120°	230V	⌚	1	Complete with 1200mA dimmable driver
62148L/BGL/W	Brushed gold	Warm white	3000K	48W	4080lm	120°	230V	⌚	1	Complete with 1200mA driver

Decorative Plafo

Round




62182 | 40W | SMD | Aluminium



62182/BAN/W



IP20



62182A | 50W | SMD | Aluminium



62182A/BAN/W




IP20



62182A/BGL/W




62182A/BBR/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62182/BAN/W	Brushed anthracite	Warm white	3000K	40W	3400lm	230V	⊕	1	Complete with 1050mA driver
62182A/BAN/W	Brushed anthracite	Warm white	3000K	50W	4250lm	230V	⊕	1	Complete with 1400mA driver
62182A/BGL/W	Brushed gold	Warm white	3000K	50W	4250lm	230V	⊕	1	Complete with 1400mA driver
62182A/BBR/W	Brushed brown	Warm white	3000K	50W	4250lm	230V	⊕	1	Complete with 1400mA driver

The LED Decorative Plafo Square



62132NA | 38W | SMD | Dimmable | Aluminium



IP20



62132NA | 38W | SMD | Dimmable | Aluminium



IP20




62142NA | 50W | SMD | Aluminium




IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62132NA/W/V	White	CCT V	2700K-3000K-4000K	38W	3230lm	120°	230V	⊕	1	Complete with 1050mA dimmable driver
62132NA/B/V	Black	CCT V	2700K-3000K-4000K	38W	3230lm	120°	230V	⊕	1	Complete with 1050mA dimmable driver
62142NA/W/W	White	Warm white	3000K	50W	4250lm	120°	230V	⊕	1	Complete with 1200mA driver




Decorative Plafo



67452 | 35W | SMD | Aluminium



67452 | 35W | SMD | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67452/W/V	White	CCT V	2700K-3000K-4000K	35W	2700lm	230V	⌚	1	Complete with 800mA driver
67452/B/V	Black	CCT V	2700K-3000K-4000K	35W	2700lm	230V	⌚	1	Complete with 800mA driver

one

The LED Slim Bathroom Range


PC



67366/W/V

67366 | 12W | SMD | PC

Emergency version 67366E/W/V.



IP54



67368/W/V

67368 | 18W | SMD | PC



IP54



67370/W/V

67370 | 25W | SMD | PC



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67366/W/V	White	CCT V	3000K-4000K-5000K	12W	1000lm	230V		20	Complete with 160mA driver
67368/W/W	White	Warm white	3000K	18W	1350lm	230V		10	Complete with 225mA driver
67368/W/V	White	CCT V	3000K-4000K-5000K	18W	1500lm	230V		10	Complete with 250mA driver
67370/W/C	White	Cool white	4000K	25W	2000lm	230V		10	Complete with 300mA driver
67370/W/V	White	CCT V	3000K-4000K-5000K	25W	2000lm	230V		10	Complete with 300mA driver

Outdoor Project LED Plafo Aluminium



67384/AN/W


67384 | 30W | SMD | Aluminium



IP54



67384/W/W



67384A/AN/W

67384A | 30W | SMD | Aluminium



IP54



67384A/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67384/W/W	White	Warm white	3000K	30W	2500lm	230V	⌚	4	Complete with 700mA driver
67384/AN/W	Anthracite	Warm white	3000K	30W	2500lm	230V	⌚	4	Complete with 700mA driver
67384A/W/W	White	Warm white	3000K	30W	2500lm	230V	⌚	4	Complete with 700mA driver
67384A/AN/W	Anthracite	Warm white	3000K	30W	2500lm	230V	⌚	4	Complete with 700mA driver

Outdoor Slim LED Plafo

Aluminium



67362/AN/W


67362 | 20W | SMD | Aluminium



IP54



67362/W/W



67363/AN/W


67363 | 30W | SMD | Aluminium



IP54



67363/W/W



67362A/AN/W

67362A | 20W | SMD | Aluminium



IP54



67362A/W/W



67363A/AN/W


67363A | 30W | SMD | Aluminium



IP54



67363A/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67362/W/W	White	Warm white	3000K	20W	1600lm	230V	⌚	8	Complete with 500mA driver
67362/AN/W	Anthracite	Warm white	3000K	20W	1600lm	230V	⌚	8	Complete with 500mA driver
67363/W/W	White	Warm white	3000K	30W	2500lm	230V	⌚	6	Complete with 700mA driver
67363/AN/W	Anthracite	Warm white	3000K	30W	2500lm	230V	⌚	6	Complete with 700mA driver
67362A/W/W	White	Warm white	3000K	20W	1600lm	230V	⌚	8	Complete with 500mA driver
67362A/AN/W	Anthracite	Warm white	3000K	20W	1600lm	230V	⌚	8	Complete with 500mA driver
67363A/W/W	White	Warm white	3000K	30W	2500lm	230V	⌚	6	Complete with 700mA driver
67363A/AN/W	Anthracite	Warm white	3000K	30W	2500lm	230V	⌚	6	Complete with 700mA driver

The E27 Plafo Outdoor Range Square



67282E/B



IP65



67282E/W



67282E/G



67282E/AN



| 221x221mm |



93mm



67282EA/B



IP65



67282EA/W



67282EA/G



67282EA/AN



| 295x295mm |



105mm

67282E | 12W | E27 | ABS + PC

67282EA | 2x12W | E27 | ABS + PC

Order Code	Colour	Watts	Input	Class		Notes
67282E/W	White	12W	100-240V		10	-
67282E/AN	Anthracite	12W	100-240V		10	-
67282E/B	Black	12W	100-240V		10	-
67282E/G	Grey	12W	100-240V		10	-
67282EA/W	White	2x12W	100-240V		10	-
67282EA/AN	Anthracite	2x12W	100-240V		10	-
67282EA/B	Black	2x12W	100-240V		10	-
67282EA/G	Grey	2x12W	100-240V		10	-

The E27 Plafo Outdoor Range

Round




67280E | 12W | E27 | ABS + PC



CE 2 YEAR

IP65




67280EA | 2x12W | E27 | ABS + PC



CE 2 YEAR

IP65



Order Code	Colour	Watts	Input	Class		Notes
67280E/W	White	12W	100-240V		10	-
67280E/AN	Anthracite	12W	100-240V		10	-
67280E/B	Black	12W	100-240V		10	-
67280E/G	Grey	12W	100-240V		10	-
67280EA/W	White	2x12W	100-240V		10	-
67280EA/AN	Anthracite	2x12W	100-240V		10	-
67280EA/B	Black	2x12W	100-240V		10	-

The LED Plafo Outdoor



67280N/W/W


67280N | 16W | SMD | ABS + PC



67280N/AN/W



67280N/G/W



67280AN/W/W

67280AN | 24W | SMD | ABS + PC

Emergency version 67280ANE/G/W on page 667.



67280AN/AN/W



67282N/W/W

67282N | 16W | SMD | ABS + PC



67282N/AN/W



67282AN/AN/W

67282AN | 24W | SMD | ABS + PC

Emergency version 67282ANE/G/W on page 667.




67282AN/G/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67280N/W/W	White	Warm white	3000K	16W	960lm	230V		10	Complete with 500mA driver
67280N/AN/W	Anthracite	Warm white	3000K	16W	960lm	230V		10	Complete with 500mA driver
67280N/G/W	Grey	Warm white	3000K	16W	960lm	230V		10	Complete with 500mA driver
67280AN/W/W	White	Warm white	3000K	24W	1440lm	230V		10	Complete with 600mA driver
67280AN/AN/W	Anthracite	Warm white	3000K	24W	1440lm	230V		10	Complete with 600mA driver
67282N/W/W	White	Warm white	3000K	16W	960lm	230V		10	Complete with 500mA driver
67282N/AN/W	Anthracite	Warm white	3000K	16W	960lm	230V		10	Complete with 500mA driver
67282AN/AN/W	Anthracite	Warm white	3000K	24W	1440lm	230V		10	Complete with 600mA driver
67282AN/G/W	Grey	Warm white	3000K	24W	1440lm	230V		10	Complete with 600mA driver

The IP65 Flat Plafo




67498/W/V

67498 | 20W | SMD | ABS + PC



IP65




67498/AN/V

67498 | 20W | SMD | ABS + PC



IP65




67390/AN/W

67390 | 21W | SMD | ABS + PC



IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67498/W/V	White	CCT V	3000K-4000K-6500K	20W	1300lm	230V		10	Complete with 500mA driver.
67498/AN/V	Anthracite	CCT V	3000K-4000K-6500K	20W	1300lm	230V		10	Complete with 500mA driver.
67390/AN/W	Anthracite	Warm white	3000K	21W	1300lm	230V		10	Complete with 500mA driver

The IK10 Industrial Range


IP65



67220A | 26W | SMD | PC



IP65



67220B | 35W | SMD | PC



IP65



67220E | 35W | SMD | PC



IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67220A/W/V	White	CCT V	3000K-4000K-6000K	26W	2750lm	230V		5	Complete with 145mA driver
67220A/B/V	Black	CCT V	3000K-4000K-6000K	26W	2750lm	230V		5	Complete with 145mA driver
67220B/W/V	White	CCT V	3000K-4000K-6000K	35W	3675lm	230V		5	Complete with 145mA driver
67220B/B/V	Black	CCT V	3000K-4000K-6000K	35W	3675lm	230V		5	Complete with 145mA driver
67220E/W/V	White	CCT V	3000K-4000K-6000K	35W	3675lm	230V		5	Complete with 140mA driver


one

The IK10 Industrial Range IP65



67218 | 15W | SMD | Plastic

Emergency version 67218E/W.



IP65



Optional ring.
Order code 67218R/B Black.



67218E | 15W | SMD | Emergency 3Hrs Maintained | Plastic



IP65



Optional ring.
Order code 67218R/B Black.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67218/W/V	White	CCT V	3000K-4000K-6500K	15W	1600lm	230V		6	Complete with 180mA driver
67218E/W/V	White	CCT V	3000K-4000K-6500K	15W	1600lm	230V		6	Supplied with battery