

one



# Decorative



Pages 515-554

# 15



# The Oriental Range



## Metal



**61050A** | 40W | E27 | Metal | Table lamp




IP20



**61050B** | 40W | E27 | Metal | Floor lamp



IP20



| Order Code    | Colour           | Watts | Input    | Class                                                                                |  | Notes |
|---------------|------------------|-------|----------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| <b>61050A</b> | Antique oriental | 40W   | 100-240V |  | 1                                                                                     | -     |
| <b>61050B</b> | Antique oriental | 40W   | 100-240V |  | 1                                                                                     | -     |

## Portable Trendy Lights



61082A/W

61082A | 3,3W | SMD | Touch switch | Dimmable | Aluminium


Rechargeable USB socket.



IP65




Charging time: 6Hrs  
Working time: 9Hrs



61082A/BR

61082A | 3,3W | SMD | Touch switch | Dimmable | Aluminium


Rechargeable USB socket.



IP65



Charging time: 6Hrs  
Working time: 9Hrs



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Class |   | Notes                       |
|------------|--------|--------------|---------|-------|------------|-------|---|-----------------------------|
| 61082A/W   | White  | Warm white   | 3000K   | 3,3W  | 200lm      | III   | 6 | 2x2200mAh lithium batteries |
| 61082A/BR  | Brown  | Warm white   | 3000K   | 3,3W  | 200lm      | III   | 6 | 2x2200mAh lithium batteries |

# Portable Trendy Lights



61082B/B/W

61082B/W/W



61082B/W/W

**61082B** | 3,5W | SMD | Touch switch | Dimmable | Aluminium


Rechargeable USB socket.



IP54



Charging time: 3Hrs  
Working time: 3-3.5Hrs



61082/W

**61082** | 3.5W | SMD | Touch switch | Dimmable | Aluminium + steel

Rechargeable USB socket.




IP54



61082/B



Charging time: 3-5Hrs  
Working time: 6-7 Hrs



61082/W/RGBW

**61082** | 3.5W | SMD | Touch switch | Dimmable | Aluminium + steel


Rechargeable USB socket.



IP54



Charging time: 3-5Hrs  
Working time: 6-7 Hrs




61082/B/RGBW

**61082** | 3.5W | SMD | Touch switch | Dimmable | Aluminium + steel


Rechargeable USB socket.



IP54



Charging time: 3-5Hrs  
Working time: 6-7 Hrs



| Order Code          | Colour | Light Colour     | CCT (K)     | Watts | Lumen (lm) | Class |    | Notes                   |
|---------------------|--------|------------------|-------------|-------|------------|-------|----|-------------------------|
| <b>61082B/W/W</b>   | White  | Warm white       | 3000K       | 3,5W  | 200lm      | III   | 12 | 1800mAh lithium battery |
| <b>61082/W</b>      | White  | Warm white       | 3000K       | 3.5W  | 260lm      | III   | 6  | 5200mAh lithium battery |
| <b>61082/B</b>      | Black  | Warm white       | 3000K       | 3.5W  | 260lm      | III   | 6  | 5200mAh lithium battery |
| <b>61082/W/RGBW</b> | White  | RGB + Warm white | RGB + 3000K | 3.5W  | 260lm      | III   | 6  | 5200mAh lithium battery |
| <b>61082/B/RGBW</b> | Black  | RGB + Warm white | RGB + 3000K | 3.5W  | 260lm      | III   | 6  | 5200mAh lithium battery |




## Portable Table Lights



61100 | 3W | SMD | Touch switch | Dimmable | Metal


Rechargeable USB socket.



IP54



Charging time: 2,5Hrs  
Working time: 8Hrs





61102 | 3W | SMD | Touch | Dimmable | Metal


Rechargeable USB socket.



IP54



Charging time: 2,5Hrs  
Working time: 8Hrs



| Order Code | Colour        | Light Colour | CCT (K) | Watts | Lumen (lm) | Class |    | Notes                   |
|------------|---------------|--------------|---------|-------|------------|-------|----|-------------------------|
| 61100/W    | White         | Warm white   | 3000K   | 3W    | 120lm      | III   | 10 | 4000mAh lithium battery |
| 61100/B    | Black         | Warm white   | 3000K   | 3W    | 120lm      | III   | 10 | 4000mAh lithium battery |
| 61102/AL   | Aluminium     | Warm white   | 3000K   | 3W    | 120lm      | III   | 10 | 2000mAh lithium battery |
| 61102/BBS  | Brushed brass | Warm white   | 3000K   | 3W    | 120lm      | III   | 10 | 2000mAh lithium battery |
| 61102/CU   | Copper        | Warm white   | 3000K   | 3W    | 120lm      | III   | 10 | 2000mAh lithium battery |

# Portable Table Lights



61090/W

**61090** | 2,5W | SMD | Dimmable | Aluminium + PC diffuser

Rechargeable USB socket.




IP65



61090/B

Charging time: ≤6,5Hrs  
Working time: ≥10Hrs  
100% light intensity



61106/W/W

**61106** | 2W | SMD | Touch switch | Dimmable | Aluminium

Rechargeable USB socket.




IP44



61106/B/W

Charging time: 4 Hrs  
Working time: 5 Hrs



61094/W/UW

**61094** | 1,8W | SMD | Dimmable | Aluminium


Rechargeable USB socket.



IP65



Charging time: ≤6,5Hrs  
Working time: ≥10Hrs  
100% light intensity



| Order Code        | Colour | Light Colour     | CCT (K)     | Watts | Lumen (lm) | Class |    | Notes                       |
|-------------------|--------|------------------|-------------|-------|------------|-------|----|-----------------------------|
| <b>61090/W</b>    | White  | CCT V            | 2700K-3000K | 2,5W  | 100lm      | III   | 6  | 2x4400mAh lithium batteries |
| <b>61090/B</b>    | Black  | CCT V            | 2700K-3000K | 2,5W  | 100lm      | III   | 6  | 2x4400mAh lithium batteries |
| <b>61106/W/W</b>  | White  | Warm white       | 3000K       | 2W    | 200lm      | III   | 12 | 2200mAh lithium battery     |
| <b>61106/B/W</b>  | Black  | Warm white       | 3000K       | 2W    | 200lm      | III   | 12 | 2200mAh lithium battery     |
| <b>61094/W/UW</b> | White  | Ultra warm white | 2200K       | 1,8W  | 120lm      | III   | 6  | 2x4400mAh lithium batteries |

# Portable Table Lights




61092/W

61092 | 2,5W | SMD | Dimmable | Aluminium


Rechargeable USB socket.



IP65



Charging time: ≤6,5Hrs  
Working time: ≥10Hrs  
100% light intensity



61092/C

61092 | 2,5W | SMD | Dimmable | Aluminium


Rechargeable USB socket.



IP65



Charging time: ≤6,5Hrs  
Working time: ≥10Hrs  
100% light intensity



61000

61000 | Charging station for 61090 & 61092 | 100-240V


Charge up to 6 table lamps.



IP20



Charging USB adaptor.  
Order code 61000A.



| Order Code | Colour | Light Colour | CCT (K)     | Watts | Lumen (lm) | Class |   | Notes                   |
|------------|--------|--------------|-------------|-------|------------|-------|---|-------------------------|
| 61092/W    | White  | CCT V        | 2700K-3000K | 2,5W  | 120lm      | III   | 6 | 4400mAh lithium battery |
| 61092/C    | Chrome | CCT V        | 2700K-3000K | 2,5W  | 120lm      | III   | 6 | 4400mAh lithium battery |

# Portable Table Lights




61084/B

**61084** | 2W | SMD | Touch switch | 3-Step Dimming | Metal + PC

Rechargeable USB socket.



Charging time: 4Hrs  
Working time: 8Hrs



61088/W


**61088** | 3W | SMD | 3-Step Dimming | ABS

Rechargeable USB socket.



61088/B

Charging time: 3,5Hrs  
Working time:  
4Hrs / 8Hrs / 15Hrs  
100% / 50% / 25%




| Order Code     | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Class |   | Notes                   |
|----------------|--------|--------------|---------|-------|------------|-------|---|-------------------------|
| <b>61084/B</b> | Black  | Warm white   | 3000K   | 2W    | 80lm       | III   | 8 | 2200mAh lithium battery |
| <b>61088/W</b> | White  | Warm white   | 3000K   | 3W    | 120lm      | III   | 9 | 2200mAh lithium battery |
| <b>61088/B</b> | Black  | Warm white   | 3000K   | 3W    | 120lm      | III   | 9 | 2200mAh lithium battery |

# Crystal Effect Table Lights



**61098** | 1,2W | SMD | Touch | 3-Step Dimming | Plastic

Rechargeable USB socket.




Charging time: 2,5Hrs  
Working time: 8Hrs



**61104** | 1,2W | SMD | Touch | 3-Step Dimming | Plastic

Rechargeable USB socket.




Charging time: 2,5Hrs  
Working time: 8Hrs

| Order Code     | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Class |    | Notes                   |
|----------------|--------|--------------|---------|-------|------------|-------|----|-------------------------|
| <b>61098/W</b> | Clear  | Warm white   | 3000K   | 1,2W  | 60lm       | III   | 10 | 2000mAh lithium battery |
| <b>61104/W</b> | Clear  | Warm white   | 3000K   | 1,2W  | 60lm       | III   | 10 | 2000mAh lithium battery |



## The Wood Nostalgia





**61118** | 12W | E27 | Wood + beige fabric shade

EU Plug.



IP20




**61118A** | 12W | E27 | Wood + beige fabric shade

EU Plug.




IP20



| Order Code    | Colour | Watts | Input    | Class |   | Notes              |
|---------------|--------|-------|----------|-------|---|--------------------|
| <b>61118</b>  | Wood   | 12W   | 100-240V |       | 4 | With ON/OFF Switch |
| <b>61118A</b> | Wood   | 12W   | 100-240V |       | 1 | With ON/OFF Switch |

# Retro Lights




62120/BBS

62120 | 12W | E27 | Surface | Recessed | Aluminium



IP20




62120A/BBS

62120A | 12W | E27 | Aluminium




IP20



| Order Code | Colour        | Watts | Input    | Class                                                                               |  |  |  | Notes |
|------------|---------------|-------|----------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 62120/BBS  | Brushed brass | 12W   | 100-240V |  | 150mm                                                                                | 50mm                                                                                  | 4                                                                                     | -     |
| 62120A/BBS | Brushed brass | 12W   | 100-240V |  | -                                                                                    | -                                                                                     | 2                                                                                     | -     |


## LED Circle Rings



62156C | 65W | SMD | Aluminium




IP20



62156D | 100W | SMD | Aluminium



IP20



| Order Code   | Colour        | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Box | Notes                          |
|--------------|---------------|--------------|---------|-------|------------|-------|-------|-----|--------------------------------|
| 62156C/B/W   | Black         | Warm white   | 3000K   | 65W   | 4300lm     | 230V  | ⊕     | 1   | Complete with 1600mA driver    |
| 62156C/BBS/W | Brushed brass | Warm white   | 3000K   | 65W   | 4300lm     | 230V  | ⊕     | 1   | Complete with 1600mA driver    |
| 62156D/B/W   | Black         | Warm white   | 3000K   | 100W  | 6500lm     | 230V  | ⊕     | 1   | Complete with 2x1200mA drivers |

# LED Circle Rings



**63150** | 48W | SMD | Dimmable | Aluminium




IP20



**63150A** | 65W | SMD | Dimmable | Aluminium




IP20



**63150B** | 65W | SMD | Dimmable | Aluminium




IP20



**63150C** | 100W | SMD | Dimmable | Aluminium



IP20




| Order Code        | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                                   |
|-------------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------------------|
| <b>63150/B/W</b>  | Black  | Warm white   | 3000K   | 48W   | 3550lm     | 230V  | ⚡     | 1 | Complete with 1200mA dimmable driver    |
| <b>63150A/B/W</b> | Black  | Warm white   | 3000K   | 65W   | 4800lm     | 230V  | ⚡     | 1 | Complete with 2x700mA dimmable drivers  |
| <b>63150B/B/W</b> | Black  | Warm white   | 3000K   | 65W   | 4800lm     | 230V  | ⚡     | 1 | Complete with 2x700mA dimmable drivers  |
| <b>63150C/B/W</b> | Black  | Warm white   | 3000K   | 100W  | 7400lm     | 230V  | ⚡     | 1 | Complete with 2x1200mA dimmable drivers |

# LED Pendant Circles




63152A/B/W

**63152A** | 20W | SMD | Dimmable | Aluminium




IP20





63152B/B/W

**63152B** | 30W | SMD | Dimmable | Aluminium



IP20




63152C/B/W

**63152C** | 40W | SMD | Dimmable | Aluminium



IP20



| Order Code        | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Box | Notes                                |
|-------------------|--------|--------------|---------|-------|------------|-------|-------|-----|--------------------------------------|
| <b>63152A/B/W</b> | Black  | Warm white   | 3000K   | 20W   | 1400lm     | 230V  | ⊕     | 1   | Complete with 500mA dimmable driver  |
| <b>63152B/B/W</b> | Black  | Warm white   | 3000K   | 30W   | 2100lm     | 230V  | ⊕     | 1   | Complete with 700mA dimmable driver  |
| <b>63152C/B/W</b> | Black  | Warm white   | 3000K   | 40W   | 2800lm     | 230V  | ⊕     | 1   | Complete with 1050mA dimmable driver |

# The Dark Light Wall Lights


**65148A** | 12W | SMD | Aluminium



65148A/W/W



IP20




**65148A** | 12W | SMD | Aluminium



65148A/B/W



IP20





**65148B** | 15W | SMD | Aluminium



65148B/W/W



IP20





**65148B** | 15W | SMD | Aluminium



65148B/B/W



IP20



| Order Code        | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |    | Notes                      |
|-------------------|--------|--------------|---------|-------|------------|-------|-------|----|----------------------------|
| <b>65148A/W/W</b> | White  | Warm white   | 3000K   | 12W   | 950lm      | 230V  |       | 12 | Complete with 280mA driver |
| <b>65148A/B/W</b> | Black  | Warm white   | 3000K   | 12W   | 950lm      | 230V  |       | 12 | Complete with 280mA driver |
| <b>65148B/W/W</b> | White  | Warm white   | 3000K   | 15W   | 1200lm     | 230V  |       | 12 | Complete with 350mA driver |
| <b>65148B/B/W</b> | Black  | Warm white   | 3000K   | 15W   | 1200lm     | 230V  |       | 12 | Complete with 350mA driver |

# LED Pendant Rings

**63046** | 25W | SMD | Steel + aluminium


Oval shape.



63046/W



IP20




**63046A** | 45W | SMD | Steel + aluminium



IP20



63046A/W



| Order Code      | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|-----------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| <b>63046/W</b>  | White  | Warm white   | 3000K   | 25W   | 1540lm     | 230V  | ⊥     | 1 | Complete with 24V DC driver |
| <b>63046A/W</b> | White  | Warm white   | 3000K   | 45W   | 2700lm     | 230V  | ⊥     | 1 | Complete with 24V DC driver |

## LED Pendant Rings




63048/B

63048 | 19W | SMD | Steel + aluminium



IP20




63048/C

63048 | 19W | SMD | Steel + aluminium



IP20





63050/W

63050 | 40W | SMD | Steel + aluminium



IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| 63048/B    | Black  | Warm white   | 3000K   | 19W   | 1000lm     | 230V  | ⌚     | 1 | Complete with 24V DC driver |
| 63048/C    | Chrome | Warm white   | 3000K   | 19W   | 1000lm     | 230V  | ⌚     | 1 | Complete with 24V DC driver |
| 63050/W    | White  | Warm white   | 3000K   | 40W   | 2250lm     | 230V  | ⌚     | 1 | Complete with 24V DC driver |


# LED Pendant Rings



63114 | 40W | SMD | Metal + ABS




IP20






63114 | 40W | SMD | Metal + ABS



IP20



63156 | 50W | SMD | Aluminium



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| 63114/W/W  | White  | Warm white   | 3000K   | 40W   | 2400lm     | 230V  | ⚡     | 1 | Complete with 1000mA driver |
| 63114/B/W  | Black  | Warm white   | 3000K   | 40W   | 2400lm     | 230V  | ⚡     | 1 | Complete with 1000mA driver |
| 63156/B/W  | Black  | Warm white   | 3000K   | 50W   | 4000lm     | 230V  | ⚡     | 1 | Complete with 1200mA driver |





## LED Pendant Rings



63144A | 40W | SMD | Steel + aluminium + acrylic





IP20



63144B | 60W | SMD | Steel + aluminium + acrylic



IP20



| Order Code  | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | 📦 | Notes                       |
|-------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| 63144A/W/W  | White  | Warm white   | 3000K   | 40W   | 4350lm     | 230V  | ⚡     | 1 | Complete with 650mA driver  |
| 63144A/B/W  | Black  | Warm white   | 3000K   | 40W   | 4350lm     | 230V  | ⚡     | 1 | Complete with 650mA driver  |
| 63144A/BS/W | Brass  | Warm white   | 3000K   | 40W   | 4350lm     | 230V  | ⚡     | 1 | Complete with 650mA driver  |
| 63144B/W/W  | White  | Warm white   | 3000K   | 60W   | 6800lm     | 230V  | ⚡     | 1 | Complete with 1050mA driver |
| 63144B/B/W  | Black  | Warm white   | 3000K   | 60W   | 6800lm     | 230V  | ⚡     | 1 | Complete with 1050mA driver |
| 63144B/BS/W | Brass  | Warm white   | 3000K   | 60W   | 6800lm     | 230V  | ⚡     | 1 | Complete with 1050mA driver |



# LED Pendant Rings



62144NB | 50W | SMD | Aluminium




IP20



62144NB | 50W | SMD | Aluminium



IP20



| Order Code    | Colour        | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|---------------|---------------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| 62144NB/W/W   | White         | Warm white   | 3000K   | 50W   | 3000lm     | 230V  | ⚡     | 1 | Complete with 1200mA driver |
| 62144NB/B/W   | Black         | Warm white   | 3000K   | 50W   | 3000lm     | 230V  | ⚡     | 1 | Complete with 1200mA driver |
| 62144NB/BBS/W | Brushed brass | Warm white   | 3000K   | 50W   | 3000lm     | 230V  | ⚡     | 1 | Complete with 1200mA driver |

one


# LED Pendant Rings

## CCT V




62144NB/BGL/V

**62144NB** | 50W | SMD | Dimmable | Aluminium




**new**  
IP20




62144NB/W/V

**62144NB** | 50W | SMD | Dimmable | Aluminium




**new**  
IP20




62144NB/B/V

**62144NB** | 50W | SMD | Dimmable | Aluminium




**new**  
IP20




62144NB/BBS/V

**62144NB** | 50W | SMD | Dimmable | Aluminium




**new**  
IP20



62144NB/BGL/V

| Order Code           | Colour        | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                                |
|----------------------|---------------|--------------|-------------------|-------|------------|-------|-------|---|--------------------------------------|
| <b>62144NB/W/V</b>   | White         | CCT V        | 2700K-3000K-4000K | 50W   | 4250lm     | 230V  | ⌚     | 1 | Complete with 1050mA dimmable driver |
| <b>62144NB/B/V</b>   | Black         | CCT V        | 2700K-3000K-4000K | 50W   | 4250lm     | 230V  | ⌚     | 1 | Complete with 1200mA dimmable driver |
| <b>62144NB/BBS/V</b> | Brushed brass | CCT V        | 2700K-3000K-4000K | 50W   | 4250lm     | 230V  | ⌚     | 1 | Complete with 1200mA dimmable driver |
| <b>62144NB/BGL/V</b> | Brushed gold  | CCT V        | 2700K-3000K-4000K | 50W   | 4250lm     | 230V  | ⌚     | 1 | Complete with 1200mA dimmable driver |

# Pendant Cones




63076A/B/W

**63076A** | 5W | COB | Aluminium



IP20




63076C/B/W

**63076C** | 5x5W | COB | Aluminium



IP20




63076D/B/W

**63076D** | 9x5W | COB | Aluminium



IP20




63076E/B/W

**63076E** | 5x5W | COB | Aluminium



IP20



| Order Code        | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Box | Notes                         |
|-------------------|--------|--------------|---------|-------|------------|-------|-------|-----|-------------------------------|
| <b>63076A/B/W</b> | Black  | Warm white   | 3000K   | 5W    | 300lm      | 230V  | ⌚     | 6   | Complete with 500mA driver    |
| <b>63076C/B/W</b> | Black  | Warm white   | 3000K   | 5x5W  | 1500lm     | 230V  | ⌚     | 1   | Complete with 2x500mA drivers |
| <b>63076D/B/W</b> | Black  | Warm white   | 3000K   | 9x5W  | 2700lm     | 230V  | ⌚     | 1   | Complete with 3x500mA drivers |
| <b>63076E/B/W</b> | Black  | Warm white   | 3000K   | 5x5W  | 1500lm     | 230V  | ⌚     | 1   | Complete with 5x500mA drivers |



# The Swirl Range Pendants



**63062** | 36W | SMD | Steel + aluminium + acrylic




IP20



**63068A** | 40W | SMD | Steel + aluminium + acrylic




IP20



**63066A** | 30W | SMD | Steel + aluminium



IP20



| Order Code       | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|------------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| <b>63062/BS</b>  | Brass  | Warm white   | 3000K   | 36W   | 1800lm     | 230V  | ⚡     | 1 | Complete with 24V DC driver |
| <b>63068A/BS</b> | Brass  | Warm white   | 3000K   | 40W   | 2400lm     | 230V  | ⚡     | 1 | Complete with 24V DC driver |
| <b>63066A/W</b>  | White  | Warm white   | 3000K   | 30W   | 1800lm     | 230V  | ⚡     | 1 | Complete with 24V DC driver |
| <b>63066A/B</b>  | Black  | Warm white   | 3000K   | 30W   | 1800lm     | 230V  | ⚡     | 1 | Complete with 24V DC driver |

# The Swirl Range Ceiling




63066/W

**63066** | 30W | SMD | Steel + aluminium



IP20




63066/B

**63066** | 30W | SMD | Steel + aluminium



IP20




63068/BS

**63068** | 30W | SMD | Steel + aluminium + acrylic



IP20



| Order Code      | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|-----------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| <b>63066/W</b>  | White  | Warm white   | 3000K   | 30W   | 1500lm     | 230V  | ⌚     | 1 | Complete with 24V DC driver |
| <b>63066/B</b>  | Black  | Warm white   | 3000K   | 30W   | 1500lm     | 230V  | ⌚     | 1 | Complete with 24V DC driver |
| <b>63068/BS</b> | Brass  | Warm white   | 3000K   | 30W   | 1500lm     | 230V  | ⌚     | 1 | Complete with 24V DC driver |

# The Swirl Range Ceiling



63154A/CH/W

**63154A** | 40W | SMD | Dimmable | Aluminium




63154A/B/W

IP20



63154A/CH/W



**63154B** | 20W | SMD | Dimmable | Aluminium




63154B/B/W

IP20



63154B/CH/W



**63154C** | 40W | SMD | Dimmable | Aluminium




63154C/B/W

IP20



63154C/CH/W



**63154D** | 60W | SMD | Dimmable | Aluminium




63154D/B/W

IP20




63154D/CH/W




| Order Code         | Colour    | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                                  |
|--------------------|-----------|--------------|---------|-------|------------|-------|-------|---|----------------------------------------|
| <b>63154A/B/W</b>  | Black     | Warm white   | 3000K   | 40W   | 2800lm     | 230V  | ⊕     | 1 | Complete with 1050mA dimmable driver   |
| <b>63154A/CH/W</b> | Champagne | Warm white   | 3000K   | 40W   | 2800lm     | 230V  | ⊕     | 1 | Complete with 1050mA dimmable driver   |
| <b>63154B/B/W</b>  | Black     | Warm white   | 3000K   | 20W   | 1400lm     | 230V  | ⊕     | 1 | Complete with 500mA dimmable driver    |
| <b>63154B/CH/W</b> | Champagne | Warm white   | 3000K   | 20W   | 1400lm     | 230V  | ⊕     | 1 | Complete with 500mA dimmable driver    |
| <b>63154C/B/W</b>  | Black     | Warm white   | 3000K   | 40W   | 2800lm     | 230V  | ⊕     | 1 | Complete with 1050mA dimmable driver   |
| <b>63154C/CH/W</b> | Champagne | Warm white   | 3000K   | 40W   | 2800lm     | 230V  | ⊕     | 1 | Complete with 1050mA dimmable driver   |
| <b>63154D/B/W</b>  | Black     | Warm white   | 3000K   | 60W   | 4200lm     | 230V  | ⊕     | 1 | Complete with 2x700mA dimmable drivers |
| <b>63154D/CH/W</b> | Champagne | Warm white   | 3000K   | 60W   | 4200lm     | 230V  | ⊕     | 1 | Complete with 2x700mA dimmable drivers |

# The Ribbon Table Lights




**61086** | 10W | SMD | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.




**61086** | 10W | SMD | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.



**61086** | 10W | SMD | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.



| Order Code      | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|-----------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| <b>61086/W</b>  | White  | Warm white   | 3000K   | 10W   | 550lm      | 230V  |       | 5 | Complete with 24V DC driver |
| <b>61086/B</b>  | Black  | Warm white   | 3000K   | 10W   | 550lm      | 230V  |       | 5 | Complete with 24V DC driver |
| <b>61086/BS</b> | Brass  | Warm white   | 3000K   | 10W   | 550lm      | 230V  |       | 5 | Complete with 24V DC driver |




## The Ribbon Floor Lights





**61086A** | 29W | SMD | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.




**61086A** | 29W | SMD | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.



**61086A** | 29W | SMD | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.



| Order Code       | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|------------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| <b>61086A/W</b>  | White  | Warm white   | 3000K   | 29W   | 1740lm     | 230V  |       | 1 | Complete with 24V DC driver |
| <b>61086A/B</b>  | Black  | Warm white   | 3000K   | 29W   | 1740lm     | 230V  |       | 1 | Complete with 24V DC driver |
| <b>61086A/BS</b> | Brass  | Warm white   | 3000K   | 29W   | 1740lm     | 230V  |       | 1 | Complete with 24V DC driver |

one



## The Crystal Swirl Range



**63054A** | 20W | SMD | Steel + aluminium + acrylic crystal look





IP20



**63054C** | 150W | SMD | Steel + aluminium + acrylic crystal look




IP20



| Order Code      | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|-----------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| <b>63054A/B</b> | Black  | Warm white   | 3000K   | 20W   | 1000lm     | 230V  | ⊕     | 1 | Complete with 24V DC driver |
| <b>63054C/B</b> | Black  | Warm white   | 3000K   | 150W  | 8500lm     | 230V  | ⊕     | 1 | Complete with 24V DC driver |

one

## The Light Bars




63056 | 65W | SMD | Steel + aluminium + acrylic




LED  
BUILT IN

IP20



| Order Code | Colour        | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|------------|---------------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| 63056/BBS  | Brushed brass | Warm white   | 3000K   | 65W   | 3900lm     | 230V  | ⚡     | 1 | Complete with 24V DC driver |



# Mushroom Pendants



63058 | 60W | SMD | Aluminium




IP20



63058 | 60W | SMD | Aluminium



IP20




| Order Code  | Colour        | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|-------------|---------------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| 63058/BGL/W | Brushed gold  | Warm white   | 3000K   | 60W   | 4200lm     | 230V  | ⊕     | 1 | Complete with 1400mA driver |
| 63058/BBR/W | Brushed brown | Warm white   | 3000K   | 60W   | 4200lm     | 230V  | ⊕     | 1 | Complete with 1400mA driver |



## LED Pendant Rings




62142NB | 42W | SMD | Aluminium



62142NB | 42W | SMD | Aluminium




62180NB | 80W | SMD | Metal base + aluminium + PMMA



| Order Code   | Colour     | Light Colour | CCT (K)           | Watts | Lumen (lm) | Input | Class |   | Notes                          |
|--------------|------------|--------------|-------------------|-------|------------|-------|-------|---|--------------------------------|
| 62142NB/W/V  | White      | CCT V        | 2700K-3000K-4000K | 42W   | 3570lm     | 230V  | ⊕     | 1 | Complete with 1050mA driver    |
| 62142NB/AN/V | Anthracite | CCT V        | 2700K-3000K-4000K | 42W   | 3570lm     | 230V  | ⊕     | 1 | Complete with 1050mA driver    |
| 62142NB/W/W  | White      | Warm white   | 3000K             | 42W   | 3570lm     | 230V  | ⊕     | 1 | Complete with 1050mA driver    |
| 62180NB/W/W  | White      | Warm white   | 3000K             | 80W   | 5600lm     | 230V  | ⊕     | 1 | Complete with 2x1000mA drivers |
| 62180NB/B/W  | Black      | Warm white   | 3000K             | 80W   | 5600lm     | 230V  | ⊕     | 1 | Complete with 2x1000mA drivers |

# The Cloud Series




62148A/W

62148A | 23W | SMD | Metal base + PC



IP20



62148B/W

62148B | 40W | SMD | Metal base + PC



IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                       |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| 62148A/W   | White  | Warm white   | 3000K   | 23W   | 1900lm     | 230V  | ⊕     | 1 | Complete with 500mA driver  |
| 62148B/W   | White  | Warm white   | 3000K   | 40W   | 3200lm     | 230V  | ⊕     | 1 | Complete with 1000mA driver |

# The Cloud Pendant Series




63110C/W

63110C | 80W | SMD | Metal base + PC



IP20




63112/W

63112 | 60W | SMD | Metal + Plastic



IP20




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |   | Notes                          |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|--------------------------------|
| 63110C/W   | White  | Warm white   | 3000K   | 80W   | 6400lm     | 230V  | ⚡     | 1 | Complete with 2x1000mA drivers |
| 63112/W    | White  | Warm white   | 3000K   | 60W   | 4800lm     | 230V  | ⚡     | 1 | Complete with 1300mA driver    |

one




## The Nordic Decorative Range




**63174C** | 3x8W | E14 | Metal + glass



IP20



| Order Code       | Colour | Watts | Input    | Class |   | Notes |
|------------------|--------|-------|----------|-------|---|-------|
| <b>63174C/BS</b> | Brass  | 3x8W  | 100-240V |       | 1 | -     |



## Retro Ceiling Lights



62172B/BS


62172B | 3x12W | E27 | Metal



IP20



Suitable for E27 LED lamp.



62172C/BS


62172C | 6x12W | E27 | Metal



IP20




Suitable for E27 LED lamp.



| Order Code | Colour | Watts | Input    | Class |   | Notes |
|------------|--------|-------|----------|-------|---|-------|
| 62172B/BS  | Brass  | 3x12W | 100-240V | ⌚     | 5 | -     |
| 62172C/BS  | Brass  | 6x12W | 100-240V | ⌚     | 5 | -     |

# Retro Classic Range



60134P



**60134P** | 4x8W | E14 | Fabric + glass



IP20



Suitable for E14 LED lamps.



60132


**60132** | 2x8W | E14 | Aluminium + glass



IP20




Suitable for E14 LED lamps.



| Order Code    | Colour    | Watts | Input    | Class |   | Notes |
|---------------|-----------|-------|----------|-------|---|-------|
| <b>60134P</b> | Dark grey | 4x8W  | 100-240V | ⊕     | 1 | -     |
| <b>60132</b>  | Brass     | 2x8W  | 100-240V | ⊕     | 8 | -     |

one

## The Nordic Decorative Range



63116A/BBS



**63116A** | 5x9W | G9 | Steel



IP20



Suitable for G9 LED lamp.




61116/BBS

**61116** | 9W | G9 | Steel



IP20



61116/B


EU Schuko Plug.



| Order Code        | Colour        | Watts | Input    | Class                                                                               |  |  | Notes              |
|-------------------|---------------|-------|----------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------|
| <b>63116A/BBS</b> | Brushed brass | 5x9W  | 100-240V |  | -                                                                                     | 2                                                                                     | -                  |
| <b>61116/B</b>    | Black         | 9W    | 100-240V |  | 150cm                                                                                 | 4                                                                                     | With ON/OFF Switch |
| <b>61116/BBS</b>  | Brushed brass | 9W    | 100-240V |  | 150cm                                                                                 | 4                                                                                     | With ON/OFF Switch |



## Modern Glass Art Range



62170A



**62170A** | 4x9W | G9 | Metal + glass



IP20



Suitable for G9 LED lamps.



62170B


**62170B** | 6x9W | G9 | Metal + glass



IP20



Suitable for G9 LED lamps.



| Order Code    | Colour | Watts | Input    | Class |   | Notes |
|---------------|--------|-------|----------|-------|---|-------|
| <b>62170A</b> | Copper | 4x9W  | 100-240V | ⊕     | 1 | -     |
| <b>62170B</b> | Copper | 6x9W  | 100-240V | ⊕     | 1 | -     |


## The Classic Retro Range



**60162** | 2x9W | G9 | Metal + Plastic beads + glass



IP20



| Order Code   | Colour | Watts | Input    | Class |   | Notes |
|--------------|--------|-------|----------|-------|---|-------|
| <b>60162</b> | Chrome | 2x9W  | 100-240V |       | 8 | -     |

# The Classic Range



60178B/C



62184B/C/W



60178B/C


**60178B** | 4x9W | G9 | Metal + glass



IP20



Suitable for G9 LED lamps.



62166B


**62166B** | 5x9W | G9 | Metal + glass



IP20



Suitable for G9 LED lamps.



63166P


**63166P** | 5x9W | G9 | Metal + glass



IP20




Suitable for G9 LED lamps.



| Order Code      | Colour | Watts | Input    | Class |   | Notes |
|-----------------|--------|-------|----------|-------|---|-------|
| <b>60178B/C</b> | Chrome | 4x9W  | 100-240V | ⊕     | 1 | -     |
| <b>62166B</b>   | Chrome | 5x9W  | 100-240V | ⊕     | 2 | -     |
| <b>63166P</b>   | Chrome | 5x9W  | 100-240V | ⊕     | 2 | -     |

one


# The Classic Range



62184B | 24W | SMD | Metal + glass



IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Notes                      |
|------------|--------|--------------|---------|-------|------------|-------|-------|----------------------------|
| 62184B/C/W | Chrome | Warm white   | 3000K   | 24W   | 1300lm     | 230V  | 1     | Complete with 300mA driver |