



Bathroom

Pages 569-578

17



Classic Mirror Light


38118N | 18W | SMD | Aluminium + glass



38118N/C/W



IP44



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Notes
38118N/C/W	Chrome	Warm white	3000K	18W	1225lm	230V	6	Complete with 500mA driver

Classic Mirror Lights

CCT V



38118N/BBS/V

38118K/MC/V



38118K/B/V


38118K | 18W | SMD | Aluminium + glass



new
IP44



38118K/W/V



38118K/BBS/V


38118K | 18W | SMD | Aluminium + glass



new
IP44



38118K/MC/V





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38118K/W/V	White	CCT V	3000K-4000K-5000K	18W	1440lm	230V	⊙	6	Complete with 450mA driver
38118K/B/V	Black	CCT V	3000K-4000K-5000K	18W	1440lm	230V	⊙	6	Complete with 450mA driver
38118K/BBS/V	Brushed brass	CCT V	3000K-4000K-5000K	18W	1440lm	230V	⊙	6	Complete with 450mA driver
38118K/MC/C	Brushed chrome	Cool white	4000K	18W	1225lm	230V	⊙	6	Complete with 500mA driver
38118K/MC/V	Brushed chrome	CCT V	3000K-4000K-5000K	18W	1440lm	230V	⊙	6	Complete with 450mA driver



Mirror Lights





38114R | 14W | SMD | Aluminium + acrylic



38120R | 20W | SMD | Aluminium + acrylic



38120D | 20W | SMD | Aluminium + acrylic



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38114R/W/W	White	Warm white	3000K	14W	1000lm	230V	⚡	10	Complete with 600mA driver
38120R/W/W	White	Warm white	3000K	20W	1400lm	230V	⚡	6	Complete with 600mA driver
38120D/W/W	White	Warm white	3000K	20W	1600lm	230V	⚡	6	Complete with 600mA driver

one

Mirror Lights

Adjustable


 38112C/W/W									
38112C 12W SMD Aluminium + acrylic									
 38112C/B/W									
 38112C/W/V									
38112C 12W SMD Aluminium + acrylic									
 38112C/B/V									
 38118C/W/V									
38118C 18W SMD Aluminium + acrylic									
 38118C/B/V									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38112C/W/W	White	Warm white	3000K	12W	1000lm	230V		10	Complete with 600mA driver
38112C/B/W	Black	Warm white	3000K	12W	1000lm	230V		10	Complete with 600mA driver
38112C/W/V	White	CCT V	3000K-3500K-4000K	12W	1000lm	230V		10	Complete with 300mA driver
38112C/B/V	Black	CCT V	3000K-3500K-4000K	12W	1000lm	230V		10	Complete with 300mA driver
38118C/W/V	White	CCT V	3000K-3500K-4000K	18W	1500lm	230V		6	Complete with 600mA driver
38118C/B/V	Black	CCT V	3000K-3500K-4000K	18W	1500lm	230V		6	Complete with 600mA driver

Mirror Lights




38110BD

38110BD | 10W | SMD | PC




60106/C

60106 | 40W | E14 | Metal + glass



60106A/C

60106A | 2x40W | E14 | Metal + glass



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	⚡	📦	Notes
38110BD	White	CCT V	2700K - 6500K	10W	700lm	230V	☐	150cm	20	Complete with dimmable driver
60106/C	Chrome	-	-	40W	-	100-240V	⊕	-	10	-
60106A/C	Chrome	-	-	2x40W	-	100-240V	⊕	-	10	-

The Mirror LED Range

38114EL/V


38114M | 15W | SMD | Aluminium + PC



38114M/W



IP44




38114EL | 23W | SMD | Aluminium + acrylic



38114EL/V



new
IP44




38115C | 15W | SMD | Aluminium + PC



38115C/V



new
IP44




38116P | 16W | SMD | Aluminium + PC



38116P/W



IP44



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38114M/C	Chrome	Cool white	4000K	15W	1200lm	230V	⌚	12	Complete with 130mA driver
38114M/W	Chrome	Warm white	3000K	15W	1200lm	230V	⌚	12	Complete with 130mA driver
38114M/EW	Chrome	Extra warm white	2700K	15W	1200lm	230V	⌚	12	Complete with 130mA driver
38114EL/V	Chrome	CCT V	3000K-4000K-5000K	23W	1650lm	230V	⌚	8	Complete with 700mA driver
38115C/V	Chrome	CCT V	3000K-4000K	15W	1300lm	230V	⌚	10	Complete with 350mA driver
38116P/W	Chrome	Warm white	3000K	16W	1280lm	230V	⌚	12	Complete with 120mA driver

Slim Mirror Lights


38108N | 8W | SMD | Aluminium + PC



new



38108N/W/V



38108N/B/V

new
IP44

38114N | 14W | SMD | Aluminium + PC



new



38114N/W/V



38114N/B/V

new
IP44

38114T | 14W | SMD | Aluminium + acrylic



new



38114T/W/V



38114T/B/V

new
IP44

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38108N/W/V	White	CCT V	3000K-3500K-4000K	8W	700lm	230V	⏚	12	Complete with 180mA driver
38108N/B/V	Black	CCT V	3000K-3500K-4000K	8W	700lm	230V	⏚	12	Complete with 180mA driver
38114N/W/V	White	CCT V	3000K-3500K-4000K	14W	1200lm	230V	⏚	6	Complete with 350mA driver
38114N/B/V	Black	CCT V	3000K-3500K-4000K	14W	1200lm	230V	⏚	6	Complete with 350mA driver
38114T/W/V	White	CCT V	3000K-3500K-4000K	14W	1200lm	230V	⏚	6	Complete with 300mA driver
38114T/B/V	Black	CCT V	3000K-3500K-4000K	14W	1200lm	230V	⏚	6	Complete with 300mA driver


one





The Mirrors CCT V




60208 | 20W LED / 16W DEFOG | Dimmable | Glass + aluminium frame





IP44



60208A | 20W LED / 16W DEFOG | Dimmable | Glass + aluminium frame



IP44



Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
60208	CCT V	3000K - 6500K	20W LED / 16W DEFOG	1600lm	230V		1	Complete with dimmable driver
60208A	CCT V	3000K - 6500K	20W LED / 16W DEFOG	1600lm	230V		1	Complete with dimmable driver

one

The Mirrors Black CCT V



60208C/B/V

60208C | 20W LED / 16W DEFOG | Dimmable | Glass + aluminium frame




new
IP44



ON/OFF
Dimming



CCT Variable
Defog



38mm



60208D/B/V

60208D | 20W LED / 16W DEFOG | Dimmable | Glass + aluminium frame




new
IP44



ON/OFF
Dimming



CCT Variable
Defog



38mm



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
60208C/B/V	Black	CCT V	3000K-6500K	20W LED/16W DEFOG	1600lm	230V		1	Complete with dimmable driver
60208D/B/V	Black	CCT V	3000K-6500K	20W LED/16W DEFOG	1600lm	230V		1	Complete with dimmable driver

The Mirrors

White CCT V



60208C/W/V

60208C | 20W LED / 16W DEFOG | Dimmable | Glass + aluminium frame




new
IP44



ON/OFF
Dimming



CCT Variable
Defog



38mm



60208D/W/V

60208D | 20W LED / 16W DEFOG | Dimmable | Glass + aluminium frame




new
IP44



ON/OFF
Dimming



CCT Variable
Defog



38mm



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
60208C/W/V	White	CCT V	3000K-6500K	20W LED/16W DEFOG	1600lm	230V		1	Complete with dimmable driver
60208D/W/V	White	CCT V	3000K-6500K	20W LED/16W DEFOG	1600lm	230V		1	Complete with dimmable driver