





Drivers

Pages 689-716

22



Mini Series

Constant current

one



89004 | 1-4W | 350mA



IP66



89006P | 2-6W | 350mA



IP66



89006PC | 1,5-6W | 500mA



IP66



89004A | 2-4W | 700mA



IP66



89006PA | 2-6W | 700mA



IP66



Order Code	Input	Power	Output	Class	Dimmable		Notes
89004	230V	1-4W	350mA		NO	200	-
89006P	230V	2-6W	350mA		NO	100	-
89006PC	230V	1,5-6W	500mA		NO	100	-
89004A	230V	2-4W	700mA		NO	200	-
89006PA	230V	2-6W	700mA		NO	100	-

TRIAC Dimmable Mini Series

Constant current




89004T | 2-4W | 350mA | TRIAC Dimmable



IP66



89007T | 3,5-7W | 350mA | TRIAC Dimmable



IP66



89004AT | 2-4W | 700mA | TRIAC Dimmable



IP66



89010AT | 5-10W | 700mA | TRIAC Dimmable



IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89004T	230V	2-4W	350mA		YES	200	Use TRIAC dimmer
89007T	230V	3,5-7W	350mA		YES	100	Use TRIAC dimmer
89004AT	230V	2-4W	700mA		YES	200	Use TRIAC dimmer
89010AT	230V	5-10W	700mA		YES	100	Use TRIAC dimmer

The 350mA Range

Constant current



89008

89008 | 4-8W | 350mA



IP20



89015

89015 | 7-15W | 350mA



IP20




89020

89020 | 10-20W | 350mA



IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89008	230V	4-8W	350mA		NO	100	-
89015	230V	7-15W	350mA		NO	100	-
89020	230V	10-20W	350mA		NO	100	-

The 500mA Range

Constant current



89015C



89020C

89015C | 7,5-15W | 500mA



89015C

IP20



89020C | 10-20W | 500mA



89020C

IP20



89030C | 20-30W | 500mA



89030C

IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89015C	230V	7,5-15W	500mA		NO	100	-
89020C	230V	10-20W	500mA		NO	100	-
89030C	230V	20-30W	500mA		NO	100	-

The 700mA Range

Constant current



89030A

89015A

89008A | 4-8W | 700mA



89008A

IP20



89015A | 7-15W | 700mA



89015A

IP20



89030A | 15-30W | 700mA



89030A

IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89008A	230V	4-8W	700mA		NO	100	-
89015A	230V	7-15W	700mA		NO	100	-
89030A	230V	15-30W	700mA		NO	100	-

High Power Constant current



89048 | 5-50W | 650-1400mA

Adjustable outputs using DIP switches.



new
IP20



89060 | 33-55W | 1300mA



IP20



89048T | 32-50W | 1200mA | TRIAC Dimmable



IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89048	230V	5-50W	650-1400mA		NO	50	-
89060	230V	33-55W	1300mA		NO	1	-
89048T	230V	32-50W	1200mA		YES	1	Use TRIAC dimmer

The TRIAC Dimmable Range

Adjustable constant current

89016UT

89009UT | TRIAC Dimmable

Adjustable output using DIP switch.



89009UT

IP20

Output Current	100mA	150mA	200mA	250mA	300mA	350mA
Output Power	0,9-4,2W	1,35-6,3W	1,8-8,4W	2,25-8,25W	2,7-8,1W	3,15-8,4W

89016UT | TRIAC Dimmable

Adjustable output using DIP switches.



89016UT

IP20

Output Current	200mA	250mA	300mA	350mA
Output Power	5,2-8,4W	6,5-10,5W	7,8-12,6W	9,1-14,7W

89024UT | TRIAC Dimmable

Adjustable output using DIP switches.



89024UT

IP20

Output Current	400mA	450mA	500mA	550mA
Output Power	10-16W	11,25-18W	12,5-20W	13,75-22W

89030UT | TRIAC Dimmable

Adjustable output using DIP switches.



89030UT

IP20


Output Current	500mA	550mA	600mA	700mA
Output Power	13-21W	14,3-23,1W	15,6-25,2W	18,2-29,4W

Order Code	Input	Power	Output	Class	Dimmable		Notes
89009UT	230V	Refer to table	Adjustable		YES	126	Use TRIAC dimmer
89016UT	230V	Refer to table	Adjustable		YES	90	Use TRIAC dimmer
89024UT	230V	Refer to table	Adjustable		YES	72	Use TRIAC dimmer
89030UT	230V	Refer to table	Adjustable		YES	72	Use TRIAC dimmer



89015T

89015T | 7-15W | 350mA | TRIAC Dimmable



IP20



89015CT

89015CT | 7,5-15W | 500mA | TRIAC Dimmable



IP20



89006AT

89006AT | 3,5-6W | 700mA | TRIAC Dimmable



IP20



89008AT

89008AT | 6-8W | 700mA | TRIAC Dimmable



IP20



89015AT

89015AT | 7-15W | 700mA | TRIAC Dimmable



IP20



89040AT

89040AT | 21-40W | 700mA | TRIAC Dimmable



IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89015T	230V	7-15W	350mA		YES	100	Use TRIAC dimmer
89015CT	230V	7,5-15W	500mA		YES	100	Use TRIAC dimmer
89006AT	230V	3,5-6W	700mA		YES	100	Use TRIAC dimmer
89008AT	230V	6-8W	700mA		YES	100	Use TRIAC dimmer
89015AT	230V	7-15W	700mA		YES	100	Use TRIAC dimmer
89040AT	230V	21-40W	700mA		YES	50	Use TRIAC dimmer

Adjustable Constant Current DALI Dimmable

DALI & Push to DIM



89015AL

89007AL


89007AL | DALI & Push to DIM Dimmable

Adjustable output using DIP switches.



89007AL

IP20



LED Current Selection

350mA	☐	☐	☐
400mA	☒	☐	☐
450mA	☐	☒	☐
500mA	☒	☒	☐
550mA	☐	☐	☒
600mA	☒	☒	☒
650mA	☐	☒	☒
700mA	☒	☒	☒
	1	2	3



Output Current	350mA
Output Power	1,75-7W

400mA	450mA
2-8W	2,25-7,65W

500mA	550mA
2,5-8W	2,75-7,7W

600mA	650mA
3-7,8W	3,25-7,8W

700mA
3,5-7,7W


89015L | DALI & Push to DIM Dimmable

Adjustable output using DIP switches.



89015L

IP20



LED Current Selection

120mA	☐	☐	☐
150mA	☒	☐	☐
180mA	☐	☒	☐
210mA	☒	☒	☐
250mA	☐	☐	☒
280mA	☒	☒	☒
320mA	☐	☒	☒
350mA	☒	☒	☒
	1	2	3



Output Current	120mA
Output Power	1,08-5,76W

150mA	180mA
1,35-7,20W	1,62-8,64W

210mA	250mA
1,89-10W	2,25-12W

280mA	320mA
2,52-13,44W	2,88-15W

350mA
3,15-14,7W


89015AL | DALI & Push to DIM Dimmable

Adjustable output using DIP switches.



89015AL

IP20



LED Current Selection

350mA	☐	☐	☐
400mA	☒	☐	☐
450mA	☐	☒	☐
500mA	☒	☒	☐
550mA	☐	☐	☒
600mA	☒	☒	☒
650mA	☐	☒	☒
700mA	☒	☒	☒
	1	2	3



Output Current	350mA
Output Power	3,15-14,7W

400mA	450mA
3,6-14,8W	4,05-14,85W

500mA	550mA
4,5-15W	4,95-14,85W

600mA	650mA
5,4-15W	5,85-14,95W

700mA
6,3-14,7W

Order Code	Input	Power	Output	Class	Dimmable		Notes
89007AL	230V	Refer to table	Adjustable		YES	50	DALI & Push to DIM
89015L	230V	Refer to table	Adjustable		YES	50	DALI & Push to DIM
89015AL	230V	Refer to table	Adjustable		YES	50	DALI & Push to DIM



Adjustable Constant Current DALI Dimmable DALI & Push to DIM




89026AL

IP20

89026AL | DALI & Push to DIM Dimmable

Adjustable output using DIP switches.



LED Current Selection

160mA	●	○	○	○
200mA	○	○	○	○
250mA	○	○	○	○
300mA	○	○	○	○
350mA	○	○	○	○
400mA	○	○	○	○
450mA	○	○	○	○
500mA	○	○	○	○
550mA	○	○	○	○
600mA	○	○	○	○
650mA	○	○	○	○
700mA	○	○	○	○
	1	2	3	4



Output Current	160mA	200mA	250mA	300mA	350mA	400mA	450mA	500mA	550mA	600mA	650mA	700mA
Output Power	4,80-8W	6-10W	5-12,50W	6-15W	7-17,50W	8-20W	9-22,50W	10-25W	11-25,85W	12-25,80W	13-26W	14-26W




89044L

IP20

89044L | DALI & Push to DIM Dimmable

Adjustable output using DIP switches.



LED Current Selection

700mA	○	○	○
750mA	●	○	○
800mA	○	○	○
850mA	○	○	○
900mA	○	○	○
950mA	○	○	○
1000mA	○	○	○
1050mA	○	○	○
	1	2	3



Output Current	700mA	750mA	800mA	850mA	900mA	950mA	1000mA	1050mA
Output Power	14-35W	15-37,50W	16-40W	17-42,50W	18-43W	19-43,70W	20-40W	21-40W

Order Code	Input	Power	Output	Class	Dimmable	Notes
89026AL	230V	Refer to table	Adjustable		YES	DALI & Push to DIM
89044L	230V	Refer to table	Adjustable		YES	DALI & Push to DIM



Marine Drivers for Yachts


Constant current



89028M | 9-36V DC | LED Marine driver | 350mA | PWM Dimmable




IP20



89028AM | 9-36V DC | LED Marine driver | 700mA | PWM Dimmable



IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89028M	9-36V DC	4,2W@12V / 8,4W@24V / 11,2W@36V	350mA	III	YES	240	-
89028AM	9-36V DC	8,4W@12V / 16,8W@24V / 22,4W@36V	700mA	III	YES	240	-



The 12V DC Range

Constant voltage



89015W

89015W | 15W | 12V DC



IP20



89030W

89030W | 30W | 12V DC



IP20



89075W

89075W | 75W | 12V DC



IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89015W	230V	15W	12V DC		NO	100	-
89030W	230V	30W	12V DC		NO	50	-
89075W	230V	75W	12V DC		NO	25	-

The 24V DC Range

Constant voltage



89030V

89015V

89015V | 15W | 24V DC



89015V

IP20



89030V | 30W | 24V DC



89030V

IP20



89075V | 75W | 24V DC



89075V

IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89015V	230V	15W	24V DC		NO	100	-
89030V	230V	30W	24V DC		NO	50	-
89075V	230V	75W	24V DC		NO	25	-

The 24V DC Range High Power

Constant voltage



89100V | 100W | 24V DC



89100V

IP20



89150V | 150W | 24V DC



89150V

IP20



89200V | 200W | 24V DC



89200V

IP20



89320V | 320W | 24V DC



89320V

IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89100V	230V	100W	24V DC		NO	20	-
89150V	230V	150W	24V DC		NO	25	-
89200V	230V	200W	24V DC		NO	20	-
89320V	230V	320W	24V DC		NO	20	-

The 24V DC TRIAC Dimmable Range

Constant voltage

89040VT | 40W | 24V DC | TRIAC Dimmable



89040VT

IP20



89050VT | 12-50W | 24V DC | TRIAC Dimmable



89050VT

IP20



89075VT | 10-75W | 24V DC | TRIAC Dimmable



89075VT

IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89040VT	230V	40W	24V DC		YES	50	Use TRIAC dimmer
89050VT	230V	12-50W	24V DC		YES	20	Use TRIAC dimmer
89075VT	230V	10-75W	24V DC		YES	20	Use TRIAC dimmer



89040VT

89100VT

The 24V DC TRIAC Dimmable Range

Constant voltage

89100VT | 20-100W | 24V DC | TRIAC Dimmable



89100VT

IP20



89150VT | 20-150W | 24V DC | TRIAC Dimmable



89150VT

IP20



89200VT | 75-200W | 24V DC | TRIAC Dimmable



89200VT

IP20




89300VT | 100-300W | 24V DC | TRIAC Dimmable



89300VT

IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89100VT	230V	20-100W	24V DC		YES	20	Use TRIAC dimmer
89150VT	230V	20-150W	24V DC		YES	15	Use TRIAC dimmer
89200VT	230V	75-200W	24V DC		YES	15	Use TRIAC dimmer
89300VT	230V	100-300W	24V DC		YES	15	Use TRIAC dimmer

The 24V DC Open Range

Constant voltage

one




89060VN

89060VN | 60W | 24V DC



IP20





89100VN

89100VN | 100W | 24V DC



IP20




89150VN

89150VN | 150W | 24V DC



IP20




89200VN

89200VN | 200W | 24V DC



IP20




89350VN

89350VN | 350W | 24V DC



IP20



Cooling fan.

Order Code	Input	Power	Output	Class	Dimmable		Notes
89060VN	100-240V	60W	24V DC		NO	66	-
89100VN	100-240V	100W	24V DC		NO	42	-
89150VN	100-240V	150W	24V DC		NO	40	-
89200VN	230V	200W	24V DC		NO	40	-
89350VN	100-240V	350W	24V DC		NO	27	Cooling fan



The 24V DC Open Range Dimmable Constant voltage



89100VND

89100VND | 100W | 24V DC | TRIAC & 1-10V Dimmable



IP20



89200VND

89200VND | 200W | 24V DC | TRIAC & 1-10V Dimmable



IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89100VND	230V	100W	24V DC	⌚	YES	60	TRIAC & 1-10V
89200VND	230V	200W	24V DC	⌚	YES	40	TRIAC & 1-10V

The 24V DC Slim Range

Constant voltage




89030VL | 30W | 24V DC

Suitable for LED profiles on page 210, 211, 212.



IP20








89060VL | 60W | 24V DC

Suitable for LED profiles on page 210, 211, 212.



IP20








89075VL | 75W | 24V DC

Suitable for LED profiles on page 210, 211, 212.



IP20








89100VL | 100W | 24V DC

Suitable for LED profiles on page 210, 211, 212.



IP20








89150VL | 150W | 24V DC

Suitable for LED profiles on page 210, 211, 212.



IP20





Order Code	Input	Power	Output	Class	Dimmable		Notes
89030VL	230V	30W	24V DC		NO	100	-
89060VL	230V	60W	24V DC		NO	50	-
89075VL	230V	75W	24V DC		NO	50	-
89100VL	230V	100W	24V DC		NO	50	-
89150VL	230V	150W	24V DC		NO	25	-

The 24V DC Slim Range Constant voltage


89240VL | 240W | 24V DC

Suitable for LED profiles on page 210, 211, 212.



89240VL

IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89240VL	230V	240W	24V DC		NO	50	-

The 24V DC Slim Range TRIAC Dimmable


89100VLT | 20-100W | 24V DC | TRIAC Dimmable

Suitable for LED profiles on page 210, 211, 212.



89100VLT

IP20




89150VLT | 30-150W | 24V DC | TRIAC Dimmable

Suitable for LED profiles on page 210, 211, 212.



89150VLT

IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89100VLT	230V	20-100W	24V DC		YES	20	Use TRIAC dimmer
89150VLT	230V	30-150W	24V DC		YES	20	Use TRIAC dimmer

The 24V DC Slim DALI Dimmable

Constant voltage



89100VLL

89150VLL




89100VLL

89100VLL | 30-100W | 24V DC | DALI & Push to DIM Dimmable

Suitable for LED profiles on page 210, 211, 212.



IP20



89150VLL

89150VLL | 45-150W | 24V DC | DALI & Push to DIM Dimmable

Suitable for LED profiles on page 210, 211, 212.



IP20




89240VLL

89240VLL | 75-250W | 24V DC | DALI & Push to DIM Dimmable

Suitable for LED profiles on page 212.



IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89100VLL	230V	30-100W	24V DC		YES	20	DALI & Push to DIM
89150VLL	230V	45-150W	24V DC		YES	20	DALI & Push to DIM
89240VLL	230V	75-250W	24V DC		YES	20	DALI & Push to DIM



The 24DC DALI & Push to DIM Constant voltage



89090VL | 10-90W | 24V DC | DALI & Push to DIM Dimmable



new

IP20



89200VL | 20-200W | 24V DC | DALI & Push to DIM Dimmable



new

IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89090VL	230V	10-90W	24V DC		YES	20	DALI & Push to DIM
89200VL	230V	20-200W	24V DC		YES	20	DALI & Push to DIM



89200VP

89150VP

The 24V DC Waterproof IP67 Range Constant voltage



89100VP

89100VP | 100W | 24V DC



IP67



89150VP

89150VP | 150W | 24V DC



IP67



89200VP

89200VP | 200W | 24V DC



IP67



89300VP

89300VP | 300W | 24V DC



IP67



Order Code	Input	Power	Output	Class		Dimmable		Notes
89100VP	230V	100W	24V DC		100cm	NO	36	-
89150VP	230V	150W	24V DC		100cm	NO	15	-
89200VP	230V	200W	24V DC		100cm	NO	10	-
89300VP	230V	300W	24V DC		100cm	NO	20	-

one


The 24V DC Waterproof IP67 Range DALI & Push to DIM



89150VPL | 15-150W | 24V DC | DALI & Push to DIM Dimmable



89150VPL



89240VPL | 24-240W | 24V DC | DALI & Push to DIM Dimmable



89240VPL



Order Code	Input	Power	Output	Class		Dimmable		Notes
89150VPL	230V	15-150W	24V DC		100cm	YES	10	-
89240VPL	230V	24-240W	24V DC		100cm	YES	10	-

The 48V DC Range

Constant voltage




89200X | 200W | 48V DC



89320X | 320W | 48V DC




89240XL | 240W | 48V DC



Order Code	Input	Power	Output	Class	Dimmable		Notes
89200X	230V	200W	48V DC		NO	25	-
89320X	230V	320W	48V DC		NO	20	-
89240XL	230V	240W	48V DC		NO	50	-



The 48V DC Open Range Constant voltage




89200XN

89200XN | 200W | 48V DC



IP20




89350XN

89350XN | 350W | 48V DC



IP20



Cooling fan.




89240XR

89240XR | 240W | DIN RAIL driver 48V DC



IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89200XN	100-240V	200W	48V DC	⌚	NO	40	-
89350XN	100-240V	350W	48V DC	⌚	NO	27	Cooling fan
89240XR	100-240V	240W	48V DC	⌚	NO	10	-

Adjustable Constant Current DALI Dimmable Range DALI & Push to DIM



89009L | DALI & Push to DIM Dimmable

Adjustable output using DIP switches.



IP20

LED Current Selection

350mA	●	●	●
450mA	○	●	●
600mA	●	○	●
700mA	○	○	●
	1	2	



Output Current

350mA

450mA

600mA

700mA

Output Power

2,1-8,75W

2,7-9W


3,6-9W

4,2-9,1W



89050LL | DALI & Push to DIM Dimmable


Adjustable output using DIP switches.



IP20

LED Current Selection

550mA	●	●	●	●	950mA	○	○	○	○
600mA	○	●	●	●	1000mA	○	○	○	○
650mA	○	○	●	●	1050mA	○	○	○	○
700mA	○	○	○	●	1100mA	○	○	○	○
750mA	○	○	○	○	1150mA	○	○	○	○
800mA	○	○	○	○	1200mA	○	○	○	○
850mA	○	○	○	○	1250mA	○	○	○	○
900mA	○	○	○	○	1300mA	○	○	○	○
	1	2	3	4		1	2	3	4



Output Current

550mA

600mA

650mA

700mA

750mA

800mA

850mA

900mA

Output Power

3,3-23,1W

3,6-25,2W

3,9-27,3W

4,2-29,4W

4,5-31,5W

4,8-33,6W

5,1-35,7W

5,4-37,8W

Output Current

950mA

1000mA

1050mA

1100mA

1150mA

1200mA

1250mA

1300mA

Output Power

5,7-39,9W

6-42W

6,3-44,1W

6,6-46,2W

6,9-48,3W

7,2-50,4W

7,5-50W

7,8-49,4W

Order Code	Input	Power	Output	Class	Dimmable		Notes
89009L	230V	Refer to table	Adjustable		YES	100	DALI & Push to DIM
89050LL	230V	Refer to table	Adjustable		YES	20	DALI & Push to DIM



89050TLD


Adjustable Constant Current DALI Dimmable Range DALI, Push to DIM, 1-10V & TRIAC



89040L

89040L | DALI & Push to DIM Dimmable

Adjustable output using DIP switches.



LED Current Selection

300mA	●	●	●	●	700mA	●	●	●	●
350mA	●	●	●	●	750mA	●	●	●	●
400mA	●	●	●	●	800mA	●	●	●	●
450mA	●	●	●	●	850mA	●	●	●	●
500mA	●	●	●	●	900mA	●	●	●	●
550mA	●	●	●	●	950mA	●	●	●	●
600mA	●	●	●	●	1000mA	●	●	●	●
650mA	●	●	●	●	1050mA	●	●	●	●
	1	2	3	4		1	2	3	4



Output Current	300mA	350mA	400mA	450mA	500mA	550mA	600mA	650mA	700mA	750mA	800mA	850mA	900mA	950mA	1000mA	1050mA
Output Power	2,7-14W	3,2-17W	3,6-19W	4-22W	4,5-24W	5-26W	5,4-29W	5,8-31W	6,3-34W	6,8-36W	7,2-36W	7,6-38W	8,1-40W	8,6-40W	9-42W	9,5-44W



89050TLD

89050TLD | DALI, Push to DIM, 1-10V, TRIAC Dimmable

Adjustable output using DIP switches.




LED Current Selection

180mA	●	●	●	●	600mA	●	●	●	●
200mA	●	●	●	●	700mA	●	●	●	●
250mA	●	●	●	●	800mA	●	●	●	●
300mA	●	●	●	●	900mA	●	●	●	●
350mA	●	●	●	●	1000mA	●	●	●	●
400mA	●	●	●	●	1050mA	●	●	●	●
450mA	●	●	●	●	1200mA	●	●	●	●
500mA	●	●	●	●	1400mA	●	●	●	●
	1	2	3	4		1	2	3	4

Operation Current Selection

1	2	3	4	5
---	---	---	---	---



Output Current	180mA	200mA	250mA	300mA	350mA	400mA	450mA	500mA
Output Power	1,44-8,64W	1,6-9,6W	2-12W	2,4-14,4W	2,8-16,8W	3,2-19,2W	3,6-21,6W	4-24W
Output Current	600mA	700mA	900mA	1000mA	1050mA	1200mA	1400mA	1500mA
Output Power	4,8-28,8W	5,6-33,6W	7,2-43,2W	8-48W	8,4-49,35W	9,6-49,2W	11,2-49W	12-49,5W

Order Code	Input	Power	Output	Class	Dimmable		Notes
89040L	230V	Refer to table	Adjustable		YES	50	DALI & Push to DIM
89050TLD	230V	Refer to table	Adjustable		YES	36	DALI, Push to DIM, 1-10V, TRIAC Dimmer