



Lamps

Pages 727-748

24



G9 Lamps

7103ALG/C



7106ALG/W




7107ALG/C



7103ALG/C

7103ALG | 4W | SMD LED | G9

LED 80
CRI
CE 2
YEAR



7106ALG/C

7106ALG | 6W | SMD LED | G9

LED 80
CRI
CE 2
YEAR



7107ALG/C

7107ALG | 7W | SMD 2835 | G9

LED 80
CRI
CE 2
YEAR



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Dimmable	
7103ALG/C	G9	Cool white	4000K	4W	400lm	230V	NO	100
7103ALG/W	G9	Warm white	3000K	4W	400lm	230V	NO	100
7106ALG/C	G9	Cool white	4000K	6W	600lm	230V	NO	100
7106ALG/W	G9	Warm white	3000K	6W	600lm	230V	NO	100
7107ALG/C	G9	Cool white	4000K	7W	700lm	230V	NO	100
7107ALG/W	G9	Warm white	3000K	7W	700lm	230V	NO	100



G9 Dimmable




7106ALGD/W

7103ALGD/W



7103ALGD/W

7103ALGD | 3,5W | SMD LED | G9 | Dimmable



7106ALGD/W

7106ALGD | 5W | SMD LED | G9 | Dimmable



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Dimmable	
7103ALGD/W	G9	Warm white	3000K	3,5W	300lm	230V	YES	100
7106ALGD/W	G9	Warm white	3000K	5W	450lm	230V	YES	100




7201G/W


7201G | 3W | SMD LED | MR11 | GU10

LED 90
CRI
CE 2
YEAR


new


GU10 MR11 SMD

7307BG | 7W | SMD LED | MR16 | GU10


LED 80
CRI
CE 2
YEAR

GU10 MR16 SMD

7306CG/BL | 5W | COB LED | MR16 | GU10

LED CE
2
YEAR

Blue GU10 MR16 COB LED

7304GE | 4W | SMD 2835 | MR16 | GU10 | Dimmable


LED 90
CRI
DIMMABLE
CE 2
YEAR

GU10 MR16 Emergency


Emergency 3Hrs Maintained
Leading & Trailing edge.
To switch OFF,
turn OFF-ON-OFF
within 2 seconds.

7101AL | 2W | COB LED | G4 | Silicone

LED 80
CRI
CE 2
YEAR

COB LED G4


7101AL/W

Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable		Notes
7201G/W	GU10	Warm white	3000K	3W	240lm	36°	230V	NO	100	-
7307BG/C	GU10	Cool white	4000K	7W	600lm	90°	230V	NO	100	-
7307BG/W	GU10	Warm white	3000K	7W	600lm	90°	230V	NO	100	-
7306CG/BL	GU10	Blue	-	5W	-	60°	230V	NO	100	-
7304GE/W	GU10	Warm white	3000K	4W	300lm	60°	230V	YES	10	Supplied with battery
7101AL/W	G4	Warm white	3000K	2W	200lm	-	12V AC/DC	NO	100	-

GU10 MR16 CCT V




7306G/V

7306G | 6W PV | MR16 | GU10




new




7306GD/V

7306GD | 6W PV | MR16 | GU10 | Dimmable



new




7307G/V

7307G | 7W | MR16 | GU10



new



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	Box
7306G/V	GU10	CCT V	3000K-3500K-4000K	3,5W-4,5W-6W	600lm	60°	230V	NO	100
7306GD/V	GU10	CCT V	3000K-3500K-4000K	3,5W-4,5W-6W	600lm	60°	230V	YES	100
7307G/V	GU10	CCT V	2700K-3000K-4000K	7W	560lm	60°	230V	NO	100


GU10 MR16 for enclosed fittings



7305EG | 5W | COB LED | MR16 | GU10

Suitable for high ambient temperature enclosed fittings.


LED 80 CRI
CE 3 YEAR



7305EGD | 5W | COB LED | MR16 | GU10 | Dimmable

Suitable for high ambient temperature enclosed fittings.

LED 80 CRI TRIAC DIMMABLE
CE 3 YEAR



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
7305EG/W	GU10	Warm white	3000K	5W	500lm	38°	230V	NO	100
7305EGD/W	GU10	Warm white	3000K	5W	500lm	38°	230V	YES	100


GU10 MR16 COB LED



7301CG/W

7301CG | 1W | COB LED | MR16 | GU10


LED 85
CRI
CE 3
YEAR



7303CG/W

7303CG | 3W | COB LED | MR16 | GU10

LED 85
CRI
CE 3
YEAR




7306CG/W

7306CG | 6W | COB LED | MR16 | GU10

LED 85
CRI
CE 3
YEAR



7306CBG/W




Dimmable GU10 MR16 COB LED



7306CGD/W

7306CGD | 6W | COB LED | MR16 | GU10 | Dimmable

LED 85
CRI
CE 3
YEAR
TRIAC
DIMMABLE



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
7301CG/W	GU10	Warm white	3000K	1W	100lm	60°	230V	NO	100
7303CG/W	GU10	Warm white	3000K	3W	300lm	60°	230V	NO	100
7306CG/C	GU10	Cool white	4000K	6W	600lm	60°	230V	NO	100
7306CG/W	GU10	Warm white	3000K	6W	600lm	60°	230V	NO	100
7306CG/EW	GU10	Extra warm white	2700K	6W	600lm	60°	230V	NO	100
7306CG/W/24	GU10	Warm white	3000K	6W	600lm	24°	230V	NO	100
7306CBG/W	GU10	Warm white	3000K	6W	600lm	60°	230V	NO	100
7306CGD/C	GU10	Cool white	4000K	6W	600lm	60°	230V	YES	100
7306CGD/W	GU10	Warm white	3000K	6W	600lm	60°	230V	YES	100
7306CGD/EW	GU10	Extra warm white	2700K	6W	600lm	60°	230V	YES	100




Special Versions GU10 MR16



7306GZ/W
Zoomable 24°-60°

7306GZ | 7W | COB LED | MR16 | GU10 | Zoomable | Dimmable


Full spectrum CRI98.



7307G/W/10

7307G | 7W | COB LED | MR16 | GU10 | Dimmable

Full spectrum CRI97.



new



7306CHG/W


7306CHG | 6W | COB LED | MR16 | GU10 | Honeycomb



new



7306CHG/W/W



DARK
LIGHT




7306CGA/W

7306CGA | 6W | COB LED | MR16 | GU10 | 24V DC

Low voltage.



new



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
7306GZ/W	GU10	Warm white	3000K	7W	510lm	24°- 60°	230V	YES	25
7307G/W/10	GU10	Warm white	3000K	7W	440lm	10°	230V	YES	100
7306CHG/W	GU10	Warm white	3000K	6W	420lm	60°	230V	NO	100
7306CHG/W/W	GU10	Warm white	3000K	6W	420lm	60°	230V	NO	100
7306CGA/W	GU10	Warm white	3000K	6W	600lm	60°	24V DC	NO	100

Full Spectrum CRI97



7306GC/EW


7306GC | 7W | COB LED | MR16 | GU10

Full spectrum CRI97.



7306GC/W


LED 97 CRI
CE 2 YEAR



7306GCD/EW

7306GCD | 7W | COB LED | MR16 | GU10 | Dimmable

LED 97 CRI TRIAC DIMMABLE
CE 2 YEAR



7306DG/W

7306DG | 6W | COB LED | MR16 | GU10


Full spectrum CRI97.

LED 97 CRI
CE 3 YEAR

new



7306DG/EW



7306DGD/W

7306DGD | 6W | COB LED | MR16 | GU10 | Dimmable


Full spectrum CRI97.

LED 97 CRI TRIAC DIMMABLE
CE 3 YEAR

new



7306DGD/EW



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	Box
7306GC/W	GU10	Warm white	3000K	7W	500lm	36°	230V	NO	100
7306GCD/EW	GU10	Extra warm white	2700K	7W	510lm	36°	230V	YES	100
7306DG/W	GU10	Warm white	3000K	6W	500lm	60°	230V	NO	100
7306DG/EW	GU10	Extra warm white	2700K	6W	500lm	60°	230V	NO	100
7306DGD/W	GU10	Warm white	3000K	6W	500lm	60°	230V	YES	100
7306DGD/EW	GU10	Extra warm white	2700K	6W	500lm	60°	230V	YES	100

MR16 LED Modules



7307MA | 7W | COB LED | Aluminium

LED module suitable for MR16 fittings.



new

IP20



7307MA | 7W | COB LED | Aluminium

LED module suitable for MR16 fittings.



new

IP20



7307M | 7W | COB LED | 700mA | Dimmable

LED module suitable for MR16 fittings.



IP65




7313M | 13W | COB LED | 700mA | Dimmable

LED module suitable for MR16 fittings.



IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Dimmable	Notes
7307MA/W/V	White	CCT V	3000K-4000K-5000K	7W	600lm	36°	230V	□	-	Complete with 160mA driver
7307MA/B/V	Black	CCT V	3000K-4000K-5000K	7W	600lm	36°	230V	□	-	Complete with 160mA driver
7307M/W	-	Warm white	3000K	7W	700lm	36°	700mA	⬢	30cm	Requires 700mA driver
7313M/W	-	Warm white	3000K	13W	1300lm	36°	700mA	⬢	30cm	Requires 700mA driver

one



2800K



Dim To Warm GU10
Dimmable

2200K




7306GDV/EGW

7306GDV | 5,5W | SMD 2835 | MR16 | GU10 | Dim to warm

Leading & Trailing edge.

LED 90 CRI DIMMABLE
CE 2 YEAR



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
7306GDV/EGW	GU10	Extra warm white	2800K-2200K	5,5W	350lm	38°	230V	YES	100




PAR30 COB LED



7310H/C

7310H/C | 10W | COB LED | PAR30 | E27


LED 90
CRI
CE 2
YEAR



7310H/W

7310H/W | 10W | COB LED | PAR30 | E27

LED 90
CRI
CE 2
YEAR



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
7310H/C	E27	Cool white	4000K	10W	750lm	40°	230V	NO	20
7310H/W	E27	Warm white	3000K	10W	750lm	40°	230V	NO	20



7315GB/W/45


R111 GU10 LED



7315G/W/45

7315G | 13W | SMD LED | R111 | GU10


LED 80 CRI
CE 2 YEAR



7315GB/W/45

7315GB | 13W | SMD LED | R111 | GU10

LED 80 CRI
CE 2 YEAR



Black body.


Dimmable R111 GU10 LED



7315GD/W/45

7315GD | 15W | SMD LED | R111 | GU10 | Dimmable

LED 80 CRI TRIAC DIMMABLE
CE 2 YEAR





Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	Box
7315G/C/45	GU10	Cool white	4000K	13W	1250lm	45°	230V	NO	20
7315G/W/45	GU10	Warm white	3000K	13W	1250lm	45°	230V	NO	20
7315GB/C/45	GU10	Cool white	4000K	13W	1250lm	45°	230V	NO	20
7315GB/W/45	GU10	Warm white	3000K	13W	1250lm	45°	230V	NO	20
7315GD/W/45	GU10	Warm white	3000K	15W	1200lm	45°	230V	YES	20

Classic A60 Special Functions





9G09/RGBW

9G09/RGBW | 9W | SMD LED | E27 | RGBW + Remote



9G09T

9G09T | 9W | SMD 2835 | E27 | Wi-Fi | RGB + CCT V | Dimmable



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Dimmable	
9G09/RGBW	E27	RGB + Warm white	RGB + 3000K	9W	720lm (3000K)	100-240V	YES	100
9G09T	E27	RGB + CCT V	RGB + 2700K-6500K	9W	780lm	230V	YES	120

Classic Lamps LED




9G10B/W/E

9G10B | 10W | SMD LED | E27

LED 80 CRI
CE 2 YEAR

new




9G09/V/E

9G09 | 9W | SMD LED | E27

LED 80 CRI CCT V
CE 2 YEAR

new



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Dimmable	
9G10B/C/E	E27	Cool white	4000K	10W	900lm	230V	NO	100
9G10B/W/E	E27	Warm white	3000K	10W	900lm	230V	NO	100
9G10B/EW/E	E27	Extra warm white	2700K	10W	900lm	230V	NO	100
9G09/V/E	E27	CCT V	2700K-3000K-4000K	9W	800lm	230V	NO	100



GX53



9F07L/V

9F07L | 7W | SMD LED | GX53



new



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Dimmable	
9F07L/V	GX53	CCT V	3000K-4000K-5000K	7W	700lm	230V	NO	100



9G80N/C/LE


High Power LED E40



9G80N/C/LE

9G80N | 80W | SMD 2835 | E40

LED 80
CRI
CE 2
YEAR



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
9G80N/C/LE	E40	Cool white	4000K	80W	8800lm	120°	230V	NO	4


T8 Tubes Glass



9009L/C

9009L | 9W | SMD | T8 | Glass


LED 80
CRI
CE 2
YEAR



9018L/C

9018L | 18W | SMD | T8 | Glass


LED 80
CRI
CE 2
YEAR



9022L/C

9022L | 24W | SMD | T8 | Glass

LED 80
CRI
CE 2
YEAR



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	
9009L/D	G13	Daylight	6000K	9W	1000lm	320°	230V	NO	25
9009L/C	G13	Cool white	4000K	9W	1000lm	320°	230V	NO	25
9018L/D	G13	Daylight	6000K	18W	2000lm	320°	230V	NO	25
9018L/C	G13	Cool white	4000K	18W	2000lm	320°	230V	NO	25
9022L/D	G13	Daylight	6000K	24W	2500lm	320°	230V	NO	25
9022L/C	G13	Cool white	4000K	24W	2500lm	320°	230V	NO	25
9022L/W	G13	Warm white	3000K	24W	2650lm	320°	230V	NO	25


T8 Tubes Glass

CCT V




9009L/V

9009L | 9W | SMD | T8 | Glass




9018L/V

9018L | 18W | SMD | T8 | Glass



9022L/V

9022L | 24W | SMD | T8 | Glass



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	Box
9009L/V	G13	CCT V	3000K-4000K-6500K	9W	1000lm	240°	230V	NO	25
9018L/V	G13	CCT V	3000K-4000K-6500K	18W	2000lm	240°	230V	NO	12
9022L/V	G13	CCT V	3000K-4000K-6500K	24W	2650lm	240°	230V	NO	12


T5 Tubes Glass



9007LA/C

9007LA | 7W | SMD 2835 | T5 | Glass


LED 90
CRI
CE 2
YEAR



9016LA/C

9016LA | 16W | SMD 2835 | T5 | Glass


LED 90
CRI
CE 2
YEAR



9018LA/C

9018LA | 18W | SMD 2835 | T5 | Glass

LED 90
CRI
CE 2
YEAR



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Dimmable	Box
9007LA/C	G5	Cool white	4000K	7W	1000lm	320°	230V	NO	10
9016LA/C	G5	Cool white	4000K	16W	2400lm	320°	230V	NO	10
9018LA/C	G5	Cool white	4000K	18W	2800lm	320°	230V	NO	10

one

Decorative Lamps



9G08E | 8W | LED | E27


Decorative lamps.

LED CE

2
YEAR



9G08E/A



9G08E | 8W | LED | E27


Decorative lamps.

LED CE

2
YEAR



9G08E/DC



Order Code	Lampholder	Glass Colour	Watts	Input	Dimmable	
9G08E/A	E27	Amber	8W	230V	NO	8
9G08E/DC	E27	Dark chrome	8W	230V	NO	8



9T05RD/A/E

9G04RAD/A/E

Retro Amber Lamps LED

Dimmable

9G03RAD | 6,5W | LED | E27 | Dimmable

LED 80 CRI TRIAC DIMMABLE
CE 2 YEAR



9G03RAD/A/E



9T05RD | 5W | LED | T28 | E27 | Dimmable

LED 80 CRI TRIAC DIMMABLE
CE 2 YEAR



9T05RD/A/E




9G04RAD | 7W | LED | E27 | Dimmable

LED 80 CRI TRIAC DIMMABLE
CE 2 YEAR



9G04RAD/A/E




9G06RD | 7W | LED | G125 | E27 | Dimmable

LED 80 CRI TRIAC DIMMABLE
CE 2 YEAR



9G06RD/A/E



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Dimmable	
9G03RAD/A/E	E27	Amber	2200K	6,5W	800lm	230V	YES	100
9T05RD/A/E	E27	Amber	2200K	5W	500lm	230V	YES	100
9G04RAD/A/E	E27	Amber	2200K	7W	800lm	230V	YES	50
9G06RD/A/E	E27	Amber	2200K	7W	800lm	230V	YES	20

one



Retro Lamp LED



9G03R/EW/E

9G03R | 4W | LED | E27

LED 80
CRI
CE 2
YEAR



Order Code	Lampholder	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Dimmable	
9G03R/EW/E	E27	Extra warm white	2700K	4W	470lm	230V	NO	100